



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755 Fax: 815-223-9508 www.lasalle-il.gov



June 3, 2026

Project: Rotary Park Sledding Hill Improvement_2026

To All Perspective Bidders:

To develop a plan-holders list and to be able to send out Addenda, if necessary, any perspective bidder **shall** complete the following and email to b.brown@lasalle-il.gov.

Name of Company: _____

Address of Company: _____

Name of Contact: _____

Contact Phone #: _____

Contact email: _____

Please feel free to contact me if you have any questions or comments.

Sincerely,

Brian D. Brown, PE
La Salle City Engineer
745 2nd Street
La Salle, Illinois 61350
815.223.7041

The City of La Salle is an equal opportunity provider and employer

Jeff Grove
Mayor
815-223-3755 x5026

John Duncan
Finance Director
815-223-3755 x5029

Brian Brown, PE
City Engineer
815-223-7041

Curt Bedei
Economic Dev. Director
815-488-4442

Brent Bader
Community Dev. & Public
Relations Director
Deputy City Clerk
815-223-3755 x5028

Kevin Fay
Supt. of Public Works
815-223-3755 x5022

Lynda Kasik
Parks and Rec
Director
815-488-1395

Dennis Hocking
Building
Inspector
815-228-9218

Jerry Janick
Fire Chief
815-223-0834

Mike Smudzinski
Police Chief
815-223-2131

Liz Bishop
City Clerk
815-223-3755 x5028

**Virginia
Kochanowski**
City Treasurer
815-224-1191

Jim McPhedran
City Attorney
Meyers, Flowers,
Bruno, McPhedran
& Herrmann
815-223-0230



Local Public Agency Formal Contract Proposal

COVER SHEET

Proposal Submitted By:

Contractor's Name

Contractor's Address

City

State

Zip Code

Local Public Agency

County

Section Number

Route(s) (Street/Road Name)

Type of Funds

 Proposal Only Proposal and Plans Proposal only, plans are separate

Submitted/Approved

For Local Public Agency:

City of La Salle	
Approved/Passed	
Mayor Signature	Date
<input type="text"/>	
Prepared By:	
City Engineer Signature	Date
<input type="text"/>	

Note: All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed.

Local Public Agency	County	Section Number	Route(s) (Street/Road Name)
City of La Salle	LaSalle		Rotary Park Sledding Hill Impro

NOTICE TO BIDDERS

Sealed proposals for the project described below will be received at the office of La Salle City Clerk
 745 2nd Street, La Salle, IL 61301 Name of Office
 until 10:00 AM on 07/01/26
Address Time Date

Sealed proposals will be opened and read publicly at the office of La Salle City Clerk
 745 2nd Street, La Salle, IL 61301 Name of Office
 at 10:00 AM on 07/01/26
Address Time Date

DESCRIPTION OF WORK

Location	Project Length
Rotary Park on E5th Road	N/A

Proposed Improvement
 Constructing a recreational Sledding Hill at Rotary Park. Work to include, but not limited to, earth excavation, strip existing vegetation sustaining material, seeding, mulch and 40' wood poles.

1. Plans and proposal forms will be available in the office of
 The City Engineer, 745 2nd Street, La Salle, IL 61301

2. Prequalification
 If checked, the 2 apparent as read low bidders must file within 24 hours after the letting an "Affidavit of Availability" (Form BC 57) in triplicate, showing all uncompleted contracts awarded to them and all low bids pending award for Federal, State, County, Municipal and private work. One original shall be filed with the Awarding Authority and two originals with the IDOT District Office.
3. The Awarding Authority reserves the right to waive technicalities and to reject any or all proposals as provided in BLRS Special Provision for Bidding Requirements and Conditions for Contract Proposals.
4. The following BLR Forms shall be returned by the bidder to the Awarding Authority:
 - a. Local Public Agency Formal Contract Proposal (BLR 12200)
 - b. Schedule of Prices (BLR 12201)
 - c. Proposal Bid Bond (BLR 12230) (if applicable)
 - d. Apprenticeship or Training Program Certification (BLR 12325) (do not use for project with Federal funds.)
 - e. Affidavit of Illinois Business Office (BLR 12326) (do not use for project with Federal funds)
5. The quantities appearing in the bid schedule are approximate and are prepared for the comparison of bids. Payment to the Contractor will be made only for the actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as hereinafter provided.
6. Submission of a bid shall be conclusive assurance and warranty the bidder has examined the plans and understands all requirements for the performance of work. The bidder will be responsible for all errors in the proposal resulting from failure or neglect to conduct an in depth examination. The Awarding Authority will, in no case, be responsible for any costs, expenses, losses or changes in anticipated profits resulting from such failure or neglect of the bidder.
7. The bidder shall take no advantage of any error or omission in the proposal and advertised contract.
8. If a special envelope is supplied by the Awarding Authority, each proposal should be submitted in that envelope furnished by the Awarding Agency and the blank spaces on the envelope shall be filled in correctly to clearly indicate its contents. When an envelope other than the special one furnished by the Awarding Authority is used, it shall be marked to clearly indicate its contents. When sent by mail, the sealed proposal shall be addressed to the Awarding Authority at the address and in care of the official in whose office the bids are to be received. All proposals shall be filed prior to the time and at the place specified in the Notice to Bidders. Proposals received after the time specified will be returned to the bidder unopened.
9. Permission will be given to a bidder to withdraw a proposal if the bidder makes the request in writing or in person before the time for opening proposals.

Local Public Agency	County	Section Number	Route(s) (Street/Road Name)
City of La Salle	LaSalle		Rotary Park Sledding Hill Impro

PROPOSAL

1. Proposal of _____ Contractor's Name _____
 _____ Contractor's Address _____
2. The plans for the proposed work are those prepared by The City of La Salle Engineering Department and approved by the Department of Transportation on N/A
3. The specifications referred to herein are those prepared by the Department of Transportation and designated as "Standard Specifications for Road and Bridge Construction" and the " Supplemental Specifications and Recurring Special Provisions" thereto, adopted and in effect on the date of invitation for bids.
4. The undersigned agrees to accept, as part of the contract, the applicable Special Provisions indicated on the "Check Sheet for Recurring Special Provisions" contained in this proposal.
5. The undersigned agrees to complete the work within 30 working days or by _____ unless additional time is granted in accordance with the specifications.
6. The successful bidder at the time of execution of the contract **will** _____ be required to deposit a contract bond for the full amount of the award. When a contract bond is not required, the proposal guaranty check will be held in lieu thereof. If this proposal is accepted and the undersigned fails to execute a contract and contract bond as required, it is hereby agreed that the Bid Bond of check shall be forfeited to the Awarding Authority.
7. Each pay item should have a unit price and a total price. If no total price is shown or if there is a discrepancy between the products of the unit price multiplied by the quantity, the unit price shall govern. If a unit price is omitted, the total price will be divided by the quantity in order to establish a unit price. A bid may be declared unacceptable if neither a unit price nor a total price is shown.
8. The undersigned submits herewith the schedule of prices on BLR 12201 covering the work to be performed under this contract.
9. The undersigned further agrees that if awarded the contract for the sections contained in the combinations on BLR 12201, the work shall be in accordance with the requirements of each individual proposal for the multiple bid specified in the Schedule for Multiple Bids below.
10. A proposal guaranty in the proper amount, as specified in BLRS Special Provision for Bidding Requirements and Conditions for Contract Proposals, will be required. Bid Bonds **will** _____ be allowed as a proposal guaranty. Accompanying this proposal is either a bid bond, if allowed, on Department form BLR 12230 or a proposal guaranty check, complying with the specifications, made payable to: 5% Bid Bond _____ Treasurer of The City of La Salle _____
 The amount of the check is _____ (_____).

Attach Cashier's Check or Certified Check Here

In the event that one proposal guaranty check is intended to cover two or more bid proposals, the amount must be equal to the sum of the proposal guaranties which would be required for each individual bid proposal. If the proposal guaranty check is placed in another bid proposal, state below where it may be found.

The proposal guaranty check will be found in the bid proposal for: Section Number _____ .

Local Public Agency	County	Section Number	Route(s) (Street/Road Name)
City of La Salle	LaSalle		Rotary Park Sledding Hill Impro

CONTRACTOR CERTIFICATIONS

The certifications hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder.

1. **Debt Delinquency.** The bidder or contractor or subcontractor, respectively, certifies that it is not delinquent in the payment of any tax administered by the Department of Revenue unless the individual or other entity is contesting, in accordance with the procedure established by the appropriate Revenue Act, its liability for the tax or the amount of the tax. Making a false statement voids the contract and allows the Department to recover all amounts paid to the individual or entity under the contract in a civil action.
2. **Bid-Rigging or Bid Rotating.** The bidder or contractor or subcontractor, respectively, certifies that it is not barred from contracting with the Department by reason of a violation of either 720 ILCS 5/33E-3 or 720 ILCS 5/33E-4.

A violation of section 33E-3 would be represented by a conviction of the crime of bid-rigging which, in addition to Class 3 felony sentencing, provides that any person convicted of this offense, or any similar offense of any state or the United States which contains the same elements as this offense shall be barred for 5 years from the date of conviction from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent on behalf of the corporation.

A violation of Section 33E-4 would be represented by a conviction of the crime of bid-rotating which, in addition to Class 2 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be permanently barred from contracting with any unit of State of Local government. No corporation shall be barred from contracting with any unit of State or Local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent on behalf of the corporation.

3. **Bribery.** The bidder or contractor or subcontractor, respectively, certifies that, it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois or any unit of local government, nor has the firm made an admission of guilt of such conduct which is a matter or record, nor has an official, agent, or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm.
4. **Interim Suspension or Suspension.** The bidder or contractor or subcontractor, respectively, certifies that it is not currently under a suspension as defined in Subpart I of Title 44 Subtitle A Chapter III Part 6 of the Illinois Administrative code. Furthermore, if suspended prior to completion of this work, the contract or contracts executed for the completion of this work may be canceled.

Local Public Agency

County

Section Number

Route(s) (Street/Road Name)

City of La Salle

LaSalle

Rotary Park Sledding Hill Impro

SIGNATURES

(If an individual)

Bidder Signature & Date

[Signature & Date box]

Business Address

[Business Address box]

City

State

Zip Code

[City box]

[State box]

[Zip Code box]

(If a partnership)

Firm Name

[Firm Name box]

Signature & Date

[Signature & Date box]

Title

[Title box]

Business Address

[Business Address box]

City

State

Zip Code

[City box]

[State box]

[Zip Code box]

Insert the Names and Addresses of all Partners

[Large empty box for partners]

(If a corporation)

Corporate Name

[Corporate Name box]

Signature & Date

[Signature & Date box]

Title

[Title box]

Business Address

[Business Address box]

City

State

Zip Code

[City box]

[State box]

[Zip Code box]

Insert Names of Officers

President

[President box]

Secretary

[Secretary box]

Treasurer

[Treasurer box]

Attest:

[Attest box]

Secretary



Schedule of Prices

Contractor's Name

Contractor's Address

City

State

Zip Code

Local Public Agency

County

Section Number

Route(s) (Street/Road Name)

Schedule for Multiple Bids

Combination Letter	Section Included in Combinations	Total

Schedule for Single Bid

(For complete information covering these items, see plans and specifications.)

Item Number	Items	Unit	Quantity	Unit Price	Total
	BASE BID				
1	STRIP & STOCK VEG MATL	CY	1346		
2	EARTH EXCAVATION	CY	5004		
3	PERIM. EROSION BARRIER	FOOT	1175		
4	PLACE VEGE SUST MATL	SY	10222		
5	SEEDING, CL 1 (SPECIAL)	ACRE	2.1		
6	EROSION CONTRL BLANKET	SY	600		
7	MULCH METHOD 2	ACRE	2.0		
8	40' WOOD POLE (POWER)	EACH	5		
9	REMOVE CONC TEE BOX	EACH	2		
	TOTAL BASE BID (A)				
	ALTERNATE BID				
1	STRIP & STOCK VEG MATL	CY	-1346		
2	EARTH EXCAVATION	CY	1346		
4	PLACE VEGE SUST MATL	SY	-10222		
4A	TOPSOIL FURN & PLACE, 4"	SY	10222		
	TOTAL ALTERNATE BID (B)				
Bidder's Total Proposal (A+B)					

1. Each pay item should have a unit price and a total price.
2. If no total price is shown or if there is a discrepancy between the product of the unit price multiplied by the quantity, the unit price shall govern.
3. If a unit price is omitted, the total price will be divided by the quantity in order to establish a unit price.
4. A bid may be declared unacceptable if neither a unit price or total price is shown.



**Local Public Agency
Proposal Bid Bond**

City of La Salle	County LaSalle	Section Number
-------------------------	--------------------------	-----------------------

WE, _____ as PRINCIPAL, and _____ as SURETY, are held jointly, severally and firmly bound unto the above Local Public Agency (hereafter referred to as "LPA") in the penal sum of 5% of the total bid price, or for the amount specified in the proposal documents in effect on the date of invitation for bids, whichever is the lesser sum. We bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly pay to the LPA this sum under the conditions of this instrument.

WHEREAS THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH that, the said PRINCIPAL is submitting a written proposal to the LPA acting through its awarding authority for the construction of the work designated as the above section.

THEREFORE if the proposal is accepted and a contract awarded to the PRINCIPAL by the LPA for the above designated section and the PRINCIPAL shall within fifteen (15) days after award enter into a formal contract, furnish surety guaranteeing the faithful performance of the work, and furnish evidence of the required insurance coverage, all as provided in the "Standard Specifications for Road and Bridge Construction" and applicable Supplemental Specifications, then this obligation shall become void; otherwise it shall remain in full force and effect.

IN THE EVENT the LPA determines the PRINCIPAL has failed to enter into a formal contract in compliance with any requirements set forth in the preceding paragraph, then the LPA acting through its awarding authority shall immediately be entitled to recover the full penal sum set out above, together with all court costs, all attorney fees, and any other expense of recovery.

IN TESTIMONY WHEREOF, the said PRINCIPAL and the said SURETY have caused this instrument to be signed by their respective officers this _____ of _____ Day _____ Month and Year _____

Principal

Company Name

Signature & Date
 By:

Title

Company Name

Signature & Date
 By:

Title

(If Principal is a joint venture of two or more contractors, the company names, and authorized signatures of each contractor must be affixed.)

Surety

Name of Surety

Signature of Attorney-in-Fact Signature & Date
 By:

STATE OF IL
 COUNTY OF

I _____, a Notary Public in and for said county do hereby certify that

(Insert names of individuals signing on behalf of PRINCIPAL & SURETY)

who are each personally known to me to be the same persons whose names are subscribed to the foregoing instrument on behalf of PRINCIPAL and SURETY, appeared before me this day in person and acknowledged respectively, that they signed and delivered said instruments as their free and voluntary act for the uses and purposes therein set forth.

Given under my hand and notarial seal this _____ day of _____ Month and Year _____.

(SEAL, if required by the LPA)

Notary Public Signature & Date

Date commission expires _____

Local Public Agency

County

Section Number

City of La Salle

LaSalle

ELECTRONIC BID BOND

Electronic bid bond is allowed (box must be checked by LPA if electronic bid bond is allowed)

The Principal may submit an electronic bid bond, in lieu of completing the above section of the Proposal Bid Bond Form. By providing an electronic bid bond ID code and signing below, the Principal is ensuring the identified electronic bid bond has been executed and the Principal and Surety are firmly bound unto the LPA under the conditions of the bid bond as shown above. (If PRINCIPAL is a joint venture of two or more contractors, an electronic bid bond ID code, company/Bidder name title and date must be affixed for each contractor in the venture.)

Electronic Bid Bond ID Code

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Company/Bidder Name

Signature & Date

Title



Apprenticeship and Training Program Certification

	County	Street Name/Road Name	Section Number
City of La Salle	LaSalle	Rotary Park Improvements	N/A

All contractors are required to complete the following certification

- For this contract proposal or for all bidding groups in this deliver and install proposal.
- For the following deliver and install bidding groups in this material proposal.

Illinois Department of Transportation policy, adopted in accordance with the provisions of the Illinois Highway Code, requires this contract to be awarded to the lowest responsive and responsible bidder. The award decision is subject to approval by the Department. In addition to all other responsibility factors, this contract or deliver and install proposal requires all bidders and all bidder's subcontractors to disclose participation in apprenticeship or training programs that are (1) approved by and registered with the United States Department of Labor's Bureau of Apprenticeship and Training, and (2) applicable to the work of the above indicated proposals or groups. Therefore, all bidders are required to complete the following certification:

1. Except as provided in paragraph 4 below, the undersigned bidder certifies that it is a participant, either as an individual or as part of a group program, in an approved apprenticeship or training program applicable to each type of work or craft that the bidder will perform with its own employees.
2. The undersigned bidder further certifies, for work to be performed by subcontract, that each of its subcontractors either (A) is, at the time of such bid, participating in an approved, applicable apprenticeship or training program; or (B) will, prior to commencement of performance of work pursuant to this contract, establish participation in an approved apprenticeship or training program applicable to the work of the subcontract.
3. The undersigned bidder, by inclusion in the list in the space below, certifies the official name of each program sponsor holding the Certificate of Registration for all of the types of work or crafts in which the bidder is a participant and that will be performed with the bidder's employees. Types of work or craft that will be subcontracted shall be included and listed as subcontract work. The list shall also indicate any type of work or craft job category for which there is no applicable apprenticeship or training program available.

4. Except for any work identified above, if any bidder or subcontractor shall perform all or part of the work of the contract or deliver and install proposal solely by individual owners, partners or members and not by employees to whom the payment of prevailing rates of wages would be required, check the following box, and identify the owner/operator workforces and positions of ownership.

The requirements of this certification and disclosure are a material part of the contract, and the contractor shall require this certification provision to be included in all approved subcontracts. The bidder is responsible for making a complete report and shall make certain that each type of work or craft job category that will be utilized on the project is accounted for and listed. The Department at any time before or afterward may require the production of a copy of each applicable Certificate of Registration issued by the United States Department of Labor evidencing such participation by the contractor and any or all of its subcontractors. In order to fulfill the participation requirement, it shall not be necessary that any applicable program sponsor be currently taking or that it will take applications for apprenticeship, training or employment during the performance of the work of this contract or deliver and install proposal.

Bidder	Signature & Date		
<div style="border: 1px solid black; height: 20px;"></div>	<div style="border: 1px solid black; height: 40px;"></div>		
Title			
<div style="border: 1px solid black; height: 20px;"></div>			
Address	City	State	Zip Code
<div style="border: 1px solid black; height: 20px;"></div>	<div style="border: 1px solid black; height: 20px;"></div>	<div style="border: 1px solid black; height: 20px;"></div>	<div style="border: 1px solid black; height: 20px;"></div>



Affidavit of Illinois Business Office

City of La Salle	County LaSalle	Street Name/Road Name Rotary Park Improvements	Section Number N/A
------------------	-------------------	---	-----------------------

I, _____ of _____, _____,
Name of Affiant City of Affiant State of Affiant
 being first duly sworn upon oath, state as follows:

1. That I am the _____ of _____.
Officer or Position Bidder
2. That I have personal knowledge of the facts herein stated.
3. That, if selected under the proposal described above, _____, will maintain a business office in the
Bidder
 State of Illinois, which will be located in _____ County, Illinois.
County
4. That this business office will serve as the primary place of employment for any persons employed in the construction contemplated by this proposal.
5. That this Affidavit is given as a requirement of state law as provided in Section 30-22(8) of the Illinois Procurement Code.

Signature & Date

Print Name of Affiant

Notary Public

State of IL
 County _____

Signed (or subscribed or attested) before me on _____ by
(date)

_____, authorized agent(s) of
(name/s of person/s)

Bidder

(SEAL)

Notary Public Signature & Date

My commission expires _____



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755

Fax: 815-223-9508

www.lasalle-il.gov



Responsible Bidder Affidavit of Compliance

To be completed by Contractor/Subcontractor

Project:

Contract Number:

Business Name:

Business Address:

Contact Person:

Phone:

E-mail:

For Office Use Only

Evidence of compliance with laws pre-requisite to doing business in the State Yes No

Valid Federal FEIN or SS# Yes No

Compliance with Equal Opportunity Employer provisions Yes No

List of subcontractors (if applicable) N/A Yes No

Certificates of Insurance: General Liability Yes No

Workers' Compensation Yes No

Automobile Liability Yes No

The City of La Salle is an equal opportunity provider and employer

Jeff Grove Mayor 815-223-3755 x5026	John Duncan Finance Director 815-223-3755 x5029	Brian Brown, PE City Engineer 815-223-7041	Curt Bedei Economic Dev. Director 815-488-4442	Brent Bader Community Dev. & Public Relations Director Deputy City Clerk 815-223-3755 x5028	Kevin Fay Supt. of Public Works 815-223-3755 x5022
Lynda Kasik Parks and Rec Director 815-488-1395	Dennis Hocking Building Inspector 815-228-9218	Jerry Janick Fire Chief 815-223-0834	Jason Stubler Police Chief 815-223-2131	Liz Bishop City Clerk 815-223-3755 x5028	Virginia Kochanowski City Treasurer 815-224-1191
					Jim McPhedran City Attorney Meyers, Flowers, Bruno, McPhedran & Herrmann 815-223-0230



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755 Fax: 815-223-9508 www.lasalle-il.gov



Statement of past compliance with the Illinois Prevailing Wage Act and agreement to pay prevailing wages on this project Yes No

Written substance abuse prevention program or certification that employees are covered under a collective bargaining agreement Yes No

Verification that individuals are properly classified as employees or independent contractors Yes No

Required professional or trade licenses: N/A Yes No

Additional Criteria (if applicable): Statements as to past performance Yes No

No violations of federal/state/local laws Yes No

Affidavit of Compliance - 1

The City of La Salle is an equal opportunity provider and employer

Jeff Grove Mayor 815-223-3755 x5026	John Duncan Finance Director 815-223-3755 x5029	Brian Brown, PE City Engineer 815-223-7041	Curt Bedei Economic Dev. Director 815-488-4442	Brent Bader Community Dev. & Public Relations Director Deputy City Clerk 815-223-3755 x5028	Kevin Fay Supt. of Public Works 815-223-3755 x5022
Lynda Kasik Parks and Rec Director 815-488-1395	Dennis Hocking Building Inspector 815-228-9218	Jerry Janick Fire Chief 815-223-0834	Jason Stubler Police Chief 815-223-2131	Liz Bishop City Clerk 815-223-3755 x5028	Virginia Kochanowski City Treasurer 815-224-1191
					Jim McPhedran City Attorney Meyers, Flowers, Bruno, McPhedran & Herrmann 815-223-0230



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755

Fax: 815-223-9508

www.lasalle-il.gov



Affidavit of Compliance

The submission requirements of this Ordinance also apply to subcontractors, except that the contractor shall submit all subcontractor submissions to the city prior to the subcontractor commencing work on the project. Failure of a subcontractor to submit the required information shall not disqualify the successful bidder from performing work on the project and shall not constitute a contractual default and/or breach by the successful bidder. However, the city may withhold all payments otherwise due for work performed by a subcontractor until the subcontractor submits the required information and the city approves such information. Further, where the city deems necessary, the city may also require that the successful bidder remove the subcontractor from the project and replace it with a responsive and responsible subcontractor.

For the remainder of this Affidavit, "Contractor" refers to the general contractor and all subcontractors. Each item must be answered. If the question is not applicable, answer "NA." If the answer is none, answer "none."

The certifications set forth in this Affidavit and all documents attached hereto shall become a part of any contract awarded to the Contractor. Furthermore, Contractor shall comply with these certifications during the term and/or performance of the contract.

The undersigned _____, as _____ and on behalf
(Name) (Title)

of _____ having been duly sworn under oath certifies that:
(Contractor)

Business Organization

The form of business organization of the Contractor is (check one):

- Sole Proprietor or Partnership
- Corporation
- LLC
- Independent Contractor (Individual)

If bidder/subcontractor is a corporation, indicate the state and the date of incorporation:

Affidavit of Compliance - 2

The City of La Salle is an equal opportunity provider and employer

Jeff Grove Mayor 815-223-3755 x5026	John Duncan Finance Director 815-223-3755 x5029	Brian Brown, PE City Engineer 815-223-7041	Curt Bedei Economic Dev. Director 815-488-4442	Brent Bader Community Dev. & Public Relations Director Deputy City Clerk 815-223-3755 x5028	Kevin Fay Supt. of Public Works 815-223-3755 x5022	
Lynda Kasik Parks and Rec Director 815-488-1395	Dennis Hocking Building Inspector 815-228-9218	Jerry Janick Fire Chief 815-223-0834	Jason Stubler Police Chief 815-223-2131	Liz Bishop City Clerk 815-223-3755 x5028	Virginia Kochanowski City Treasurer 815-224-1191	Jim McPhedran City Attorney Meyers, Flowers, Bruno, McPhedran & Herrmann 815-223-0230



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755

Fax: 815-223-9508

www.lasalle-il.gov



Authorized to do business in the State of Illinois:

Yes [] No []

Describe supporting documentation attached: _____
(E.g. Secretary of State Certificate of Good Standing)

Federal Employer I.D. #: _____

Social Security # (if an individual or sole proprietor): _____

The Contractor, or agent, partner, employee or officer of the Contractor, is not debarred, suspended, proposed for debarment or declared ineligible from contracting with any unit of state or local government.

Yes [] No []

EOE Compliance

Contractor is in compliance with provisions of Section 2000e of Chapter 21, Title 42 of the United States Code and Federal Executive Order No. 11246 as amended by Executive Order No. 11375 (known as the Equal Opportunity Employer provisions).

Yes [] No []

Subcontractors

Contractor disclosed the name and address of each subcontractor for whom the contractor has accepted a bid and/or intends to hire on any part of the project (Attachment P).

Yes [] No []

Contractor provided this Affidavit of Compliance to all of the above-referenced subcontractors.

Yes [] No []

Certificate of Insurance

Attached are certificates of insurance showing the following coverage:

General Liability	Yes [] No []
Workers' Compensation	Yes [] No []
Automobile Liability	Yes [] No []

Affidavit of Compliance - 3

The City of La Salle is an equal opportunity provider and employer

Jeff Grove Mayor 815-223-3755 x5026	John Duncan Finance Director 815-223-3755 x5029	Brian Brown, PE City Engineer 815-223-7041	Curt Bedei Economic Dev. Director 815-488-4442	Brent Bader Community Dev. & Public Relations Director Deputy City Clerk 815-223-3755 x5028	Kevin Fay Supt. of Public Works 815-223-3755 x5022
Lynda Kasik Parks and Rec Director 815-488-1395	Dennis Hocking Building Inspector 815-228-9218	Jerry Janick Fire Chief 815-223-0834	Jason Stubler Police Chief 815-223-2131	Liz Bishop City Clerk 815-223-3755 x5028	Virginia Kochanowski City Treasurer 815-224-1191
					Jim McPhedran City Attorney Meyers, Flowers, Bruno, McPhedran & Herrmann 815-223-0230



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755

Fax: 815-223-9508

www.lasalle-il.gov



Prevailing Wage Compliance

Contractor has complied with all provisions of the Illinois Prevailing Wage Act and federal Davis-Bacon and related Acts, and all rules and regulations therein, for the past five (5) years. Yes No

Contractor has reviewed the applicable prevailing wage law, including the Illinois Prevailing Wage Act, and federal Davis-Bacon Act. Yes No

Contractor will pay the applicable prevailing wage rates. Yes No

Contractor will strictly comply with applicable prevailing wage laws. Yes No

Contractor has not been found by the Illinois Department of Labor to be in violation of the Illinois Prevailing Wage Act twice within the past three year period. ("Yes" indicates compliance with the Act): Yes No

If the above answer is "No," list the date(s) of the Department's finding of a violation:

Participation in Approved Apprenticeship Program(s)

Contractor participates in apprenticeship and training programs applicable to the work to be performed on the project, which are approved by and registered with the United States Department of Labor's Office of Apprenticeship, or its successor organizations. Yes No

Describe supporting documentation attached (e.g. Standards of Apprenticeship, Apprenticeship Agreement, verification of participation):

Affidavit of Compliance - 4

The City of La Salle is an equal opportunity provider and employer

Jeff Grove Mayor 815-223-3755 x5026	John Duncan Finance Director 815-223-3755 x5029	Brian Brown, PE City Engineer 815-223-7041	Curt Bedei Economic Dev. Director 815-488-4442	Brent Bader Community Dev. & Public Relations Director Deputy City Clerk 815-223-3755 x5028	Kevin Fay Supt. of Public Works 815-223-3755 x5022
Lynda Kasik Parks and Rec Director 815-488-1395	Dennis Hocking Building Inspector 815-228-9218	Jerry Janick Fire Chief 815-223-0834	Jason Stubler Police Chief 815-223-2131	Liz Bishop City Clerk 815-223-3755 x5028	Virginia Kochanowski City Treasurer 815-224-1191
					Jim McPhedran City Attorney Meyers, Flowers, Bruno, McPhedran & Herrmann 815-223-0230



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755

Fax: 815-223-9508

www.lasalle-il.gov



Substance Abuse

Contractor complies with the Substance Abuse Prevention on Public Works Projects Act by:

Attaching a written substance abuse program in effect for its employees that meets or exceeds the requirements of the Act; or: Yes No

Having signed a collective bargaining agreement in effect for its employees that deals with the subject matter of the Act. Yes No

Employee Classification

Contractor's employees who will perform work on the project are properly classified as an employee or independent contractor under all applicable state and federal laws and local ordinances (Form B). Yes No

Workers' Compensation

Contractor's employees who will perform work on the project are:
Covered under a current workers' compensation policy: Yes No

Properly classified under such policy: Yes No

Describe supporting documentation attached:

OSHA Safety Program

Contractor's certifies that all employees expected to perform work on the project have completed 10-hour or greater OSHA safety program. Additionally, at least one person having oversight responsibility must have completed the OSHA 30-hour safety program. Yes No

Affidavit of Compliance – 5

The City of La Salle is an equal opportunity provider and employer

Jeff Grove Mayor 815-223-3755 x5026	John Duncan Finance Director 815-223-3755 x5029	Brian Brown, PE City Engineer 815-223-7041	Curt Bedei Economic Dev. Director 815-488-4442	Brent Bader Community Dev. & Public Relations Director Deputy City Clerk 815-223-3755 x5028	Kevin Fay Supt. of Public Works 815-223-3755 x5022	
Lynda Kasik Parks and Rec Director 815-488-1395	Dennis Hocking Building Inspector 815-228-9218	Jerry Janick Fire Chief 815-223-0834	Jason Stubler Police Chief 815-223-2131	Liz Bishop City Clerk 815-223-3755 x5028	Virginia Kochanowski City Treasurer 815-224-1191	Jim McPhedran City Attorney Meyers, Flowers, Bruno, McPhedran & Herrmann 815-223-0230



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755

Fax: 815-223-9508

www.lasalle-il.gov



Professional or Trade Licenses

Contractor will possess all applicable professional and trade licenses required for performing the Contract work:

N/A Yes No

License	Number	Date Issued	Current Expiration	Holder of License

If any of the above license(s) have been revoked or suspended, state the date and reason for suspension/revocation:

Documentation Attached (Contractor must initial next to each item):

____ Certificate of Good Standing

(or other evidence of compliance with laws pre-requisite to doing business in the state)

____ Current registration with Illinois Department of Revenue (if bidder has employees) (document with account #, Business Tax #)

____ Registration with Illinois Department of Employment Security (if bidder has employees) (document with UI account #)

____ Certificates of Insurance

____ Standards of Apprenticeship/Apprentice Agreements/ Apprenticeship training programs (5yrs)

____ Substance Abuse Prevention program (or applicable provision from CBA in effect)

____ Workers' Compensation Coverage

____ Professional or Trade Licenses

Affidavit of Compliance - 6

The City of La Salle is an equal opportunity provider and employer

Jeff Grove
Mayor
815-223-3755 x5026

John Duncan
Finance Director
815-223-3755 x5029

Brian Brown, PE
City Engineer
815-223-7041

Curt Bedei
Economic Dev. Director
815-488-4442

Brent Bader
Community Dev. & Public
Relations Director
Deputy City Clerk
815-223-3755 x5028

Kevin Fay
Supt. of Public Works
815-223-3755 x5022

Lynda Kasik
Parks and Rec
Director
815-488-1395

Dennis Hocking
Building
Inspector
815-228-9218

Jerry Janick
Fire Chief
815-223-0834

Jason Stubler
Police Chief
815-223-2131

Liz Bishop
City Clerk
815-223-3755 x5028

Virginia
Kochanowski
City Treasurer
815-224-1191

Jim McPhedran
City Attorney
Meyers, Flowers,
Bruno, McPhedran
& Herrmann
815-223-0230



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755

Fax: 815-223-9508

www.lasalle-il.gov



_____ Form A: Name and address of subcontractors from whom Contractor has accepted a bid or intends to hire to perform work on any part of the project.

NOTE: All subcontractors shall complete and submit an Affidavit of Compliance no later than the date and time of the contract award.

_____ Form B: List of individuals who will perform work on the project on behalf of the Contractor, verifying that each individual is properly classified as an employee or independent contractor. Contractor also verifies that all Contractor's employees are covered under a current workers' compensation policy, properly classified under the workers' compensation policy, and covered by a health and welfare and retirement plan.

Affidavit of Compliance - 7

The City of La Salle is an equal opportunity provider and employer

Jeff Grove Mayor 815-223-3755 x5026	John Duncan Finance Director 815-223-3755 x5029	Brian Brown, PE City Engineer 815-223-7041	Curt Bedei Economic Dev. Director 815-488-4442	Brent Bader Community Dev. & Public Relations Director Deputy City Clerk 815-223-3755 x5028	Kevin Fay Supt. of Public Works 815-223-3755 x5022
Lynda Kasik Parks and Rec Director 815-488-1395	Dennis Hocking Building Inspector 815-228-9218	Jerry Janick Fire Chief 815-223-0834	Jason Stubler Police Chief 815-223-2131	Liz Bishop City Clerk 815-223-3755 x5028	Virginia Kochanowski City Treasurer 815-224-1191
					Jim McPhedran City Attorney Meyers, Flowers, Bruno, McPhedran & Herrmann 815-223-0230



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755

Fax: 815-223-9508

www.lasalle-il.gov



Additional Information Required

If required in the bid specifications, Contractor shall complete items I and/or II below:

I. Statement of past three (3) years experience on public construction projects.

Public Body/ Project Name/Year	Reference Name/ Phone #	Original Price/ Final Price	Subcontractors

Affidavit of Compliance - 8

The City of La Salle is an equal opportunity provider and employer

Jeff Grove
Mayor
815-223-3755 x5026

John Duncan
Finance Director
815-223-3755 x5029

Brian Brown, PE
City Engineer
815-223-7041

Curt Bedei
Economic Dev. Director
815-488-4442

Brent Bader
Community Dev. & Public
Relations Director
Deputy City Clerk
815-223-3755 x5028

Kevin Fay
Supt. of Public Works
815-223-3755 x5022

Lynda Kasik
Parks and Rec
Director
815-488-1395

Dennis Hocking
Building
Inspector
815-228-9218

Jerry Janick
Fire Chief
815-223-0834

Jason Stubler
Police Chief
815-223-2131

Liz Bishop
City Clerk
815-223-3755 x5028

**Virginia
Kochanowski**
City Treasurer
815-224-1191

Jim McPhedran
City Attorney
Meyers, Flowers,
Bruno, McPhedran
& Herrmann
815-223-0230



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755

Fax: 815-223-9508

www.lasalle-il.gov



II. List any determinations by a court or governmental agency for violations of federal, state or local laws, including but not limited to violations of contracting or antitrust laws, tax or licensing laws, environmental laws, the Occupational Safety and Health Act (OSHA), the National Labor Relations Act (NLRA), or federal Davis-Bacon and related Acts.

Date	Law	Determination	Penalty

Affidavit of Compliance - 9

The City of La Salle is an equal opportunity provider and employer

Jeff Grove
Mayor
815-223-3755 x5026

John Duncan
Finance Director
815-223-3755 x5029

Brian Brown, PE
City Engineer
815-223-7041

Curt Bedei
Economic Dev. Director
815-488-4442

Brent Bader
Community Dev. & Public
Relations Director
Deputy City Clerk
815-223-3755 x5028

Kevin Fay
Supt. of Public Works
815-223-3755 x5022

Lynda Kasik
Parks and Rec
Director
815-488-1395

Dennis Hocking
Building
Inspector
815-228-9218

Jerry Janick
Fire Chief
815-223-0834

Jason Stubler
Police Chief
815-223-2131

Liz Bishop
City Clerk
815-223-3755 x5028

**Virginia
Kochanowski**
City Treasurer
815-224-1191

Jim McPhedran
City Attorney
Meyers, Flowers,
Bruno, McPhedran
& Herrmann
815-223-0230



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755

Fax: 815-223-9508

www.lasalle-il.gov



Subcontractors who will Perform Work on the Project

Form A

Name	Address	Work to be performed

Affidavit of Compliance - 10

The City of La Salle is an equal opportunity provider and employer

Jeff Grove Mayor 815-223-3755 x5026	John Duncan Finance Director 815-223-3755 x5029	Brian Brown, PE City Engineer 815-223-7041	Curt Bedei Economic Dev. Director 815-488-4442	Brent Bader Community Dev. & Public Relations Director Deputy City Clerk 815-223-3755 x5028	Kevin Fay Supt. of Public Works 815-223-3755 x5022
Lynda Kasik Parks and Rec Director 815-488-1395	Dennis Hocking Building Inspector 815-228-9218	Jerry Janick Fire Chief 815-223-0834	Jason Stubler Police Chief 815-223-2131	Liz Bishop City Clerk 815-223-3755 x5028	Virginia Kochanowski City Treasurer 815-224-1191
					Jim McPhedran City Attorney Meyers, Flowers, Bruno, McPhedran & Herrmann 815-223-0230



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755

Fax: 815-223-9508

www.lasalle-il.gov



Form B

Individuals who will perform work on the project

List all individuals who will perform work on this project with the following information:

1. Individual is an employee (E) or independent contractor (I);
2. Individual's trade classification (indicate apprenticeship status where appropriate);
3. Employee (E) is covered under Contractor's current workers' compensation (WC) policy;
4. Employee (E) is covered under a health and welfare (H&W) plan and retirement plan provided by the employer (ER) or declined coverage (Declined).

Name	E/I	Trade	WC Y/N	H&W ER/Other	Retirement ER/Declined

Affidavit of Compliance - 11

VERIFICATION

The City of La Salle is an equal opportunity provider and employer

Jeff Grove Mayor 815-223-3755 x5026	John Duncan Finance Director 815-223-3755 x5029	Brian Brown, PE City Engineer 815-223-7041	Curt Bedei Economic Dev. Director 815-488-4442	Brent Bader Community Dev. & Public Relations Director Deputy City Clerk 815-223-3755 x5028	Kevin Fay Supt. of Public Works 815-223-3755 x5022
Lynda Kasik Parks and Rec Director 815-488-1395	Dennis Hocking Building Inspector 815-228-9218	Jerry Janick Fire Chief 815-223-0834	Jason Stubler Police Chief 815-223-2131	Liz Bishop City Clerk 815-223-3755 x5028	Virginia Kochanowski City Treasurer 815-224-1191
					Jim McPhedran City Attorney Meyers, Flowers, Bruno, McPhedran & Herrmann 815-223-0230



City of La Salle

La Salle County, Illinois

City Offices - 745 Second Street - La Salle, Illinois 61301-2501

Bus: 815-223-3755

Fax: 815-223-9508

www.lasalle-il.gov



I certify that I am authorized to execute this Affidavit of Compliance on behalf of the Contractor set forth on page one (1), that I have personal knowledge of all the information set forth herein and that all statements, representations, information and documents provide in or with this Affidavit and attachments hereto are true and accurate.

The Contractor may report any change in any of the facts stated in this Affidavit within fourteen (14) days of the effective date of such change by completing and submitting a new Affidavit.

Failure to comply with this requirement is grounds for the Contractor to be deemed a non responsible bidder.

Signature of Authorized Officer

Name of Authorized Officer (Print or Type)

Title

Telephone Number

State of Illinois, County of _____

Subscribed and sworn to

before me this ____ day of

_____, 200__.

Notary Public Signature & Seal

Affidavit of Compliance - 12

The City of La Salle is an equal opportunity provider and employer

Jeff Grove
Mayor
815-223-3755 x5026

John Duncan
Finance Director
815-223-3755 x5029

Brian Brown, PE
City Engineer
815-223-7041

Curt Bedei
Economic Dev. Director
815-488-4442

Brent Bader
Community Dev. & Public
Relations Director
Deputy City Clerk
815-223-3755 x5028

Kevin Fay
Supt. of Public Works
815-223-3755 x5022

Lynda Kasik
Parks and Rec
Director
815-488-1395

Dennis Hocking
Building
Inspector
815-228-9218

Jerry Janick
Fire Chief
815-223-0834

Jason Stubler
Police Chief
815-223-2131

Liz Bishop
City Clerk
815-223-3755 x5028

**Virginia
Kochanowski**
City Treasurer
815-224-1191

Jim McPhedran
City Attorney
Meyers, Flowers,
Bruno, McPhedran
& Herrmann
815-223-0230

Part III. Work Subcontracted to Others.

For each contract described in Part I, list all the work you have subcontracted to others.

	1	2	3	4	Awards Pending
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					
Total Uncompleted					

Notary

I, being duly sworn, do hereby declare this affidavit is a true and correct statement relating to ALL uncompleted contracts of the undersigned for Federal, State, County, City and private work, including ALL subcontract work, ALL pending low bids not yet awarded or rejected and ALL estimated completion dates.

Officer or Director

Title

Signature

Date

Company

Address

City

State

Zip Code

Subscribed and sworn to before me

this _____ day of _____, _____

(Signature of Notary Public)

My commission expires _____

(Notary Seal)

Add pages for additional contracts

INDEX
FOR
SUPPLEMENTAL SPECIFICATIONS
AND RECURRING SPECIAL PROVISIONS

Adopted January 1, 2026

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS, frequently used RECURRING SPECIAL PROVISIONS, and LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS.

ERRATA Standard Specifications for Road and Bridge Construction
(Adopted 1-1-22) (Revised 1-1-26)

SUPPLEMENTAL SPECIFICATIONS

<u>Std. Spec. Sec.</u>	<u>Page No.</u>
109 Measurement and Payment	1
202 Earth and Rock Excavation	2
204 Borrow and Furnished Excavation	3
207 Porous Granular Embankment	4
211 Topsoil and Compost	5
214 Grading and Shaping Ditches	6
406 Hot-Mix Asphalt Binder and Surface Course	7
407 Hot-Mix Asphalt Pavement (Full-Depth)	9
420 Portland Cement Concrete Pavement	10
502 Excavation for Structures	11
504 Precast Concrete Structures	12
509 Metal Railings	13
522 Retaining Walls	14
540 Box Culverts	15
542 Pipe Culverts	35
550 Storm Sewers	44
586 Granular Backfill for Structures	51
601 Pipe Drains, Pipe Underdrains, and French Drains	52
630 Steel Plate Beam Guardrail	53
632 Guardrail and Cable Road Guard Removal	54
644 High Tension Cable Median Barrier	55
665 Woven Wire Fence	56
701 Work Zone Traffic Control and Protection	57
781 Raised Reflective Pavement Markers	59
782 Reflectors	60
801 Electrical Requirements	62
821 Roadway Luminaires	65
1003 Fine Aggregates	66
1004 Coarse Aggregates	67
1010 Finely Divided Minerals	69
1020 Portland Cement Concrete	70
1030 Hot-Mix Asphalt	73
1040 Drain Pipe, Tile, and Wall Drain	74
1042 Precast Concrete Products	75
1061 Waterproofing Membrane System	76

1067	Luminaire	77
1097	Reflectors	84
1102	Hot-Mix Asphalt Equipment	85

RECURRING SPECIAL PROVISIONS

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

<u>CHECK SHEET #</u>	<u>PAGE NO.</u>
1 Additional State Requirements for Federal-Aid Construction Contracts	87
2 Subletting of Contracts (Federal-Aid Contracts)	90
3 EEO	91
4 Specific EEO Responsibilities Nonfederal-Aid Contracts	101
5 Required Provisions - State Contracts	106
6 Asbestos Bearing Pad Removal	112
7 Asbestos Waterproofing Membrane and Asbestos Hot-Mix Asphalt Surface Removal	113
8 Temporary Stream Crossings and In-Stream Work Pads	114
9 Construction Layout Stakes	115
10 Use of Geotextile Fabric for Railroad Crossing	118
11 Subsealing of Concrete Pavements	120
12 Hot-Mix Asphalt Surface Correction	124
13 Pavement and Shoulder Resurfacing	126
14 Patching with Hot-Mix Asphalt Overlay Removal	127
15 Polymer Concrete	129
16 Reserved.....	131
17 Bicycle Racks	132
18 Temporary Portable Bridge Traffic Signals	134
19 Nighttime Inspection of Roadway Lighting	136
20 English Substitution of Metric Bolts	137
21 Calcium Chloride Accelerator for Portland Cement Concrete	138
22 Quality Control of Concrete Mixtures at the Plant	139
23 Quality Control/Quality Assurance of Concrete Mixtures	147
24 Reserved	163
25 Reserved	164
26 Temporary Raised Pavement Markers	165
27 Restoring Bridge Approach Pavements Using High-Density Foam	166
28 Portland Cement Concrete Inlay or Overlay	169
29 Portland Cement Concrete Partial Depth Hot-Mix Asphalt Patching	173
30 Longitudinal Joint and Crack Patching	176
31 Concrete Mix Design – Department Provided	178
32 Station Numbers in Pavements or Overlays	179

LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

Table of Contents

<u>CHECK SHEET #</u>	<u>PAGE NO.</u>
LRS1 Reserved	181
LRS2 Furnished Excavation	182
LRS3 Work Zone Traffic Control Surveillance	183
LRS4 Flaggers in Work Zones	184
LRS5 Contract Claims	185
LRS6 Bidding Requirements and Conditions for Contract Proposals	186
LRS7 Bidding Requirements and Conditions for Material Proposals	192
LRS8 Reserved	198
LRS9 Bituminous Surface Treatments	199
LRS10 Reserved	203
LRS11 Employment Practices	204
LRS12 Wages of Employees in Public Works	206
LRS13 Selection of Labor	208
LRS14 Paving Brick and Concrete Paver Pavements and Sidewalks	209
LRS15 Partial Payments	212
LRS16 Protests on Local Lettings	213
LRS17 Substance Abuse Prevention Program	214
LRS18 Multigrade Cold Mix Asphalt	215
LRS19 Reflective Crack Control Treatment	216

State of Illinois
Department of Transportation

ERRATA
STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION

Adopted: January 1, 2022

Revised: January 1, 2026

- Page viii Table of Contents. Change “SECTION 586. SAND BACKFILL FOR VAULTED ABUTMENTS” to “SECTION 586. GRANULAR BACKFILL FOR STRUCTURES”.
- Page 2 Article 101.01. In the list of abbreviations, add the following after “OSHA”:

“Product Eval & Audit” “Product Evaluation and Audit Solutions”
- Page 170 Article 352.18(b)(3). Change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 170 Article 352.18(b)(4). Change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 170 Article 352.19(c). Change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 170 Article 352.19(d). Change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 267 Article 441.04. In Note 1/, change “unstable” to “unsuitable”.
- Page 269 Article 441.05. In the last paragraph, change “Unsuitable or unstable material” to “Unsuitable material”.
- Page 270 Article 441.10. In the second paragraph, change “unstable” to “unsuitable”.
- Page 273 Article 442.05. In the fourth paragraph, change “unsuitable and unstable materials” to “unsuitable materials”.
- Page 282 Article 442.08(b). Change “Articles 1030.05(d)(3), (d)(4), and (d)(7).” to “Articles 1030.09(b), 1030.09(c), and 1030.09(f).”
- Page 308 Article 502.12(b). In the last sentence of the first paragraph, change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 310 Article 502.13. In the first sentence of the fourth paragraph, change “unstable and/or unsuitable material” to “unsuitable material”.

- Page 310 Article 502.13. In the second sentence of the fourth paragraph, change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 444 Article 522.15(b). In the eighteenth paragraph, change “unstable and/or unsuitable material” to “disposal of unsuitable material”.
- Page 446 Article 522.16. In the sixteenth paragraph, change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 450 Article 540.07(b). In the last paragraph, change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 450 Article 540.08. In the last paragraph, change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 599 Section 672. In the section title, change “AVANDONED” to “ABANDONED”.
- Page 654 Article 780.04. In the sixth paragraph, change “Article 780.14” to “Article 780.15”.
- Page 656 Article 780.08. In the last sentence of the 3rd paragraph, change “Contractor shall not install” to “Contractor shall install.”
- Page 699 Article 818.02(b). In the Article/Section reference, change “1066.03(a)(3)” to “1066.03(b)”.
- Page 749 Article 1001.01(d)(1). Change “maximum final set” to “minimum final set”.
- Page 780 Article 1006.06(b). In the last sentence, change “AASHTO ASTM A 775 (A 775M)” to “ASTM A 775 (A 775M)”.
- Page 788 Article 1006.25. In the third paragraph, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 805 Article 1008.05. In the first sentence of the second paragraph, change “National Transportation Product Evaluation Program (NTPEP)” to “AASHTO Product Eval & Audit”.
- Page 805 Article 1008.05. In the second sentence of the second paragraph, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 806 Article 1008.05(b). In the Article title, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 808 Article 1008.05(f)(1). In the first sentence, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 817 Section 1018. In the section title, change “MORTOR” to “MORTAR”.

- Page 869 Article 1030.01. In the last sentence of the second paragraph, change “specificly” to “specifically”.
- Page 891 Article 1030.09(e)(1). In the sixth line of the first paragraph, change “contine” to “continue”.
- Page 894 Article 1030.09(i). In the second to last paragraph, change “aggegate” to “aggregate”.
- Page 919 Article 1040.04(a). In the first sentence, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 919 Article 1040.04(b). In the first sentence, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 951 Article 1062.02. Change the Article title from “1062.02 Lighting Protection” to “1065.02 Lighting Protection”.
- Page 1034 Article 1080.01(a)(3). In Note 2/, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1035 Article 1080.02. In Note 1/, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1035 Article 1080.02. In Note 2/, change all “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1036 Article 1080.03. In Note 1/, change all “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1036 Article 1080.04. In the fourth sentence of the first paragraph, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1036 Article 1080.04. In the fifth sentence of the first paragraph, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1037 Article 1080.05. In Note 1/, change all “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1039 Article 1080.06(d). In Note 1/, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1060 Article 1083.01. In the second sentence of the first paragraph, change “NTPEP” to “AASHTO Product Eval & Audit”.



Check Sheet for Recurring Special Provisions

	County	Section Number
City of La Salle	LaSalle	N/A

Check this box for lettings prior to 01/01/2024.

The Following Recurring Special Provisions Indicated By An "X" Are Applicable To This Contract And Are Included By Reference:

Recurring Special Provisions

<u>Check Sheet #</u>		<u>Page No.</u>
1	<input type="checkbox"/> Additional State Requirements for Federal-Aid Construction Contracts	59
2	<input type="checkbox"/> Subletting of Contracts (Federal-Aid Contracts)	62
3	<input type="checkbox"/> EEO	63
4	<input type="checkbox"/> Specific EEO Responsibilities Non Federal-Aid Contracts	73
5	<input type="checkbox"/> Required Provisions - State Contracts	78
6	<input type="checkbox"/> Asbestos Bearing Pad Removal	84
7	<input type="checkbox"/> Asbestos Waterproofing Membrane and Asbestos HMA Surface Removal	85
8	<input type="checkbox"/> Temporary Stream Crossings and In-Stream Work Pads	86
9	<input type="checkbox"/> Construction Layout Stakes	87
10	<input type="checkbox"/> Use of Geotextile Fabric for Railroad Crossing	90
11	<input type="checkbox"/> Subsealing of Concrete Pavements	92
12	<input type="checkbox"/> Hot-Mix Asphalt Surface Correction	96
13	<input type="checkbox"/> Pavement and Shoulder Resurfacing	98
14	<input type="checkbox"/> Patching with Hot-Mix Asphalt Overlay Removal	99
15	<input type="checkbox"/> Polymer Concrete	101
16	<input type="checkbox"/> Reserved	103
17	<input type="checkbox"/> Bicycle Racks	104
18	<input type="checkbox"/> Temporary Portable Bridge Traffic Signals	106
19	<input type="checkbox"/> Nighttime Inspection of Roadway Lighting	108
20	<input type="checkbox"/> English Substitution of Metric Bolts	109
21	<input type="checkbox"/> Calcium Chloride Accelerator for Portland Cement Concrete	110
22	<input type="checkbox"/> Quality Control of Concrete Mixtures at the Plant	111
23	<input checked="" type="checkbox"/> Quality Control/Quality Assurance of Concrete Mixtures	119
24	<input type="checkbox"/> Reserved	135
25	<input type="checkbox"/> Reserved	136
26	<input type="checkbox"/> Temporary Raised Pavement Markers	137
27	<input type="checkbox"/> Restoring Bridge Approach Pavements Using High-Density Foam	138
28	<input type="checkbox"/> Portland Cement Concrete Inlay or Overlay	141
29	<input type="checkbox"/> Portland Cement Concrete Partial Depth Hot-Mix Asphalt Patching	145
30	<input type="checkbox"/> Longitudinal Joint and Crack Patching	148
31	<input type="checkbox"/> Concrete Mix Design - Department Provided	150
32	<input type="checkbox"/> Station Numbers in Pavements or Overlays	151

Local Public Agency

County

Section Number

City of La Salle

LaSalle

N/A

The Following Local Roads And Streets Recurring Special Provisions Indicated By An "X" Are Applicable To This Contract And Are Included By Reference:

Local Roads And Streets Recurring Special Provisions

<u>Check Sheet #</u>		<u>Page No.</u>
LRS 1	Reserved	153
LRS 2	<input type="checkbox"/> Furnished Excavation	154
LRS 3	<input type="checkbox"/> Work Zone Traffic Control Surveillance	155
LRS 4	<input checked="" type="checkbox"/> Flaggers in Work Zones	156
LRS 5	<input checked="" type="checkbox"/> Contract Claims	157
LRS 6	<input checked="" type="checkbox"/> Bidding Requirements and Conditions for Contract Proposals	158
LRS 7	<input type="checkbox"/> Bidding Requirements and Conditions for Material Proposals	164
LRS 8	Reserved	170
LRS 9	<input type="checkbox"/> Bituminous Surface Treatments	171
LRS 10	Reserved	175
LRS 11	<input checked="" type="checkbox"/> Employment Practices	176
LRS 12	<input checked="" type="checkbox"/> Wages of Employees on Public Works	178
LRS 13	<input checked="" type="checkbox"/> Selection of Labor	180
LRS 14	<input type="checkbox"/> Paving Brick and Concrete Paver Pavements and Sidewalks	181
LRS 15	<input checked="" type="checkbox"/> Partial Payments	184
LRS 16	<input checked="" type="checkbox"/> Protests on Local Lettings	185
LRS 17	<input checked="" type="checkbox"/> Substance Abuse Prevention Program	186
LRS 18	<input type="checkbox"/> Multigrade Cold Mix Asphalt	187
LRS 19	<input type="checkbox"/> Reflective Crack Control Treatment	188



SPECIAL PROVISIONS

The following Special Provisions supplement the "Standard Specifications for Road and Bridge Construction", January 1, 2022, the latest edition of the "Manual on Uniform Traffic Control Devices for and Highways", and the "Manual of Test Procedures of Materials" in effect on the date of invitation of bids, and the Supplemental Specifications and Recurring Special Provisions indicated on the Check Sheet included here in which and govern the construction Rotary Park Sledding Hill Improvements, and in case of conflict with any part, or parts, of said Specifications, the said Special Provisions shall take precedence and shall govern.

DESCRIPTION OF IMPROVEMENT

The project consists of constructing a new Sledding Hill including: Stripping and Stockpiling Vegetation Sustaining Material (1346 CY), Earth Excavation (5004 CY), Erosion Control Measures, Placing Vegetation Sustaining Material (10,222 SY), Seeding (2.1 AC), Mulch (2.0 AC), 40' Wood Poles (5), and all incidental and collateral work necessary to complete the project as shown on the plans and as described herein.

The project also includes an Alternate Bid removing the Stripping and Stockpiling of the Vegetation Sustaining Material and adding Topsoil Furnish and Place, 4" (10,222 SY).

STATE SPECIFICATIONS

The "Standard Specifications for Road and Bridge Construction", prepared by the Department of Transportation of the State of Illinois, and adopted on January 1, 2022 are a part of the specifications for this project and are referred to as "State Specifications". However, in case of conflict, the "Special Provisions" shall take precedence and shall govern.

WAGE RATES

This contract calls for the construction of a "public work," within the meaning of the Illinois Prevailing Wage Act, 820 ILCS 130/.01 et seq. ("the Act"). The Act requires contractors and subcontractors to pay laborers, workers and mechanics performing services on public works projects no less than the "prevailing rate of wages" (hourly cash wages plus fringe benefits) in the county where the work is performed. For information regarding current prevailing wage rates, please refer to the Illinois Department of Labor's website at:

<https://labor.illinois.gov/content/dam/soi/en/web/idol/laws-rules/conmed/documents/fy26/20260521/LaSalle.pdf>. All contractors and subcontractors rendering services under this contract must comply with all requirements of the Act, including but not limited to, all wage, notice and record keeping duties.

PROPOSALS

Proposals will be issued to bidders for a specified length of time and may be obtained from the office of The City Clerk or City Engineer, 745 Second Street, La Salle, Illinois 61301 or on the City's website. However, no proposals will be issued after 12:00 Noon of the last business day preceding the opening of bids.

Responsible Bidder Affidavit of Compliance in accordance City Ordinance #3106, passed 9/17/2025 will be required to be completed by all bidders and is included in these documents.

PREFERENCE TO VETERANS

Attention is called to assure compliance with Illinois Revised State Chapter 126 Section 23. Preference to veterans upon public works: "In the employment and appointment to fill positions in the construction, addition to, or alteration of all public works undertaken or contracted for by the state, or by any political subdivision thereof, preference shall be given to persons who were engaged in the military or naval service of the United States in time of war."

COMPLETION DATE

The contractor is advised that all work shall be completed in 45 Working Days. Should the contractor fail to complete the work by the specified number of days, Liquidated Damages per Article 108.09 of the Standard Specifications shall

be applied. It is understood that the completion of the court system and fencing is dependent on the availability of the sub-contractor and additional time will be allowed to accommodate their schedule.

WORK HOURS

The Contractor may perform work between the hours of 6:00 AM and dusk Monday through Friday. However, no work will be permitted between the dusk Friday to 6:00 AM, Monday, or on holidays, without written permission of the City of La Salle.

INSURANCE COVERAGE

In accordance with "Legal Relations and Responsibility to the Public", IDOT Standard Specifications for Road and Bridge Construction, adopted January 1, 2022, the contractor must obtain a Certificate of Insurance for "General Public Liability and Property Damage Insurance" naming the City of La Salle and their employees as additional insured. This certificate shall be issued to the Engineer for approval prior to the start of construction (or within 10 days after execution of the contract). This certificate is in addition to any company policies that the contractor may have.

PUBLIC UTILITIES

The Engineer has attempted to indicate the presence of various public utility lines along the construction route. These locations are from information supplied by the utility companies, and the Engineer, in no way, warrants their accuracy or completeness. It remains the contractor's responsibility to contact the utility companies in order to obtain the definite locations prior to construction. Contact J.U.L.I.E. at 811 or at (800) 892-0123, 48 hours prior to any excavation.

SUBMITTALS

The Contractor shall provide two (2) identical sets of submittal information to the Engineer for review and approval at least two (2) weeks prior to commencement of construction activities. Submittal information generally includes product information, catalog pages, manufacturer's instruction, product warranties, specifications, samples, shop drawings, and proposed substitutions. At a minimum, the following items shall require submittal to the Engineer:

- Project Schedule – The Contractor shall submit an initial project schedule. This schedule, along with percentage of completion, shall be revised and submitted along with each application for payment.

If a substitution is proposed, materials or equipment of other supplies may be accepted by the Engineer if sufficient information is submitted by the Contractor to allow the Engineer to determine that the material or equipment proposed is equivalent or equal to that named. However, the burden of proof as to the type, function, and quality of any such substitute material or equipment shall reside with the Contractor.

TRAFFIC CONTROL - GENERAL

Traffic Control shall be in accordance with the applicable sections of the Standard Specifications for Road and Bridge Construction, the Supplemental Specifications, the applicable guidelines contained in the Illinois Manual on Uniform Traffic Control Devices for Streets and Highways, any special details and Highway Standards contained herein and, in the plans, the Traffic Specifications and the Special Provisions contained herein.

Special attention is called to Articles 107.09 and 107.14 of the Standard Specifications for Road and Bridge Construction and the following Highway Standards relating to traffic control:

701001-02 701901-11

The Contractor shall obtain, erect, maintain, and remove all signs, barricades, flagmen and other traffic control devices as may be necessary for the purpose of regulating, warning, or guiding traffic. Placement and maintenance of all traffic control devices shall be in accordance with the applicable parts of Article 107.14 of the Standard Specifications and the Illinois Manual on Uniform Traffic Control Devices for Streets and Highways and the attached special provisions.

If the contract does not include a pay item for Traffic Control and Protection, it will be considered incidental to the contract.

GUARANTEE

All materials and equipment shall be guaranteed for a period of one (1) year from the date of acceptance by the Owner. Upon receipt of notice from the Owner of failure of any part of the project during the guarantee period, repairs shall be performed by the Contractor at no additional cost to the City of La Salle.

WATER USE

The Contractor desiring to use water from municipal hydrants will be required to make an application to the Public Works, and if the request is granted, he shall conform with the ordinances of the municipality, as well as with the rules and regulations of the Water Department and will be held responsible for all damages to hydrants and water pipe used for the purposes of securing water. Pipe wrenches approved by the Water Department shall be utilized for opening and closing hydrants and other appurtenances. The Contractor shall contact the City at (815) 223-6344 to determine the City's water use requirements for this project, including metering, billing, etc. prior to submitting his bid.

When additional water from fire hydrants is necessary to avoid delay in normal work procedures, the water shall be conserved and not used unnecessarily. No fire hydrant shall be obstructed in case of a fire in the area served by the hydrant.

PAYMENTS TO CONTRACTOR

Payments shall be made on a monthly basis. Pay requests need to be submitted to the City Engineer four (4) days prior to a City Council meeting, which are posted on the City's website. Contractor shall submit Partial Lien Waivers for all sub-contractors and suppliers for each pay request and Final Lien Waivers for final Pay Request.

RE-STOCKING FEES & LEFTOVER MATERIALS

Any leftover materials not used in the Work, at the completion of the project, shall be removed from the site by the Contractor at no additional cost to the City of La Salle.

The Contractor shall be responsible for the payment of any re-stocking fee associated with the return of an item.

In no case shall the City of La Salle be responsible to reimburse the Contractor for re-stocking fee or excess materials that cannot be returned to the supplier.

STORM WATER POLLUTION PREVENTION PLAN

During the construction, the Contractor must comply with the National Pollution Discharge Elimination System Storm Water Rules and Regulations. Contractor must comply with these regulations and any other rules set forth by the USEPA and IEPA including required inspections, maintenances and reporting. This work will not be paid for separately but shall be considered incidental to the contract.

DUST CONTROL

The contractor shall be responsible for controlling the dust and air-borne dirt generated by his/her construction activities.

The implementation of dust control procedures shall be required if wind and dry soil conditions reduce visibility on adjacent roads and property. Concerns for health and safety to the public using adjacent facilities will be grounds for the implementation of a dust control plan. When circumstances warrant, a specific dust control plan shall be developed. The contractor and the engineer shall review the nature and extent of dust generating activities and cooperatively develop specific types of control techniques appropriated to that specific situation. Sample techniques that may warrant consideration include such measures as:

1. Minimize track out of soil onto nearby publicly traveled roads.
2. Reduce vehicle speed on unpaved surfaces.
3. Cover haul vehicles.
4. Apply chemical dust suppressants or water to exposed surfaces, particularly to surfaces on which construction vehicles travel.

Dust control measures as indicated in the Dust Control Plan, or as directed by the engineer shall be readily available for use on the project site. The cost of this work shall be included in the unit prices bid and no additional compensation will be allowed.

CLEAN CONSTRUCTION/DEMOLITION DEBRIS (CCDD) REQUIREMENTS PER PA 96-1416

To comply with Public Act 96-1416, the Contractor shall be responsible for all IEPA documentation and testing required to haul and dispose of Clean Construction or Demolition Debris. The cost associated with any engineering or material testing shall be incidental to the appropriate contract pay items.

STRIP AND STOCKPILE VEGETATION SUSTAINING MATERIAL

Approximately 1346 Cubic Yards of Vegetation Sustaining Material (VSM) shall be stripped and stockpiled prior to commencing with the Earth Excavation operation. This work shall be performed in accordance with Section 211 of the Standard Specifications. The Contractor shall develop a recommended plan for the VSM location(s) on the project site.

This work will be paid for at the contract unit price per CU YD for STRIP AND STOCKPILE VEGETATION SUSTAINING MATERIAL.

EARTH EXCAVATION

This work shall consist of the removal, placement, stockpile and disposal of all existing materials located in the project limits except rock, unless specifically called out by specific pay item, earth excavation and borrow and furnished excavation, the placement of all suitable excavated materials in the subgrade, or embankment, or as replacement unless specifically called out by separate pay item. This work shall be as specified and in accordance with applicable Sections 202, 204 and 205 of the Standard Specifications. Additionally, there are a few small trees within the project limits that will require removal as part of Earth Excavation. Removal will not be paid separately but shall be considered incidental to Earth Excavation.

This work will be paid for at the contract unit price bid per CUBIC YARD for EARTH EXCAVATION for the volume of material excavated.

PERIMETER EROSION BARRIER

This work shall consist of constructing silt filter fence at locations shown in the contract drawings and/or as directed by the Engineer for the purposes of preventing erosion of construction site materials into drainage ways. All work shall be performed in accordance with the applicable articles of Section 280 of the Standard Specifications. Silt Fence shall be installed as directed by the City engineer.

The Contractor shall be responsible for monitoring the condition of all silt fences as the construction proceeds and shall maintain them in proper working order for the duration of the project. All silt fences shall be removed and properly disposed of after the sledding hill is complete, grass stabilized the slope and as directed by the Engineer.

Measurement for payment for silt fence shall be along the centerline of fence installed. The cost for all work required, including excavation of post holes, fence posts, geotextile fabric, fabric anchorage materials, and fence maintenance and removal shall be included in the contract unit price bid per FOOT for PERIMETER EROSION BARRIER.

PLACE VEGETATION SUSTAINING MATERIAL

This work shall consist of spreading the stockpiled VSM, minimum 4" depth, on all disturbed areas in accordance with Section 211 of the Standard Specifications. The placed VSM shall be worked/raked/tilled so that there are no lumps larger than 2" in diameter.

The cost of this work shall be paid for the contract unit price bid per SQUARE YARD of PLACE VEGETATION SUSTAINING MATERIAL.

SEEDING, CLASS 1 (SPECIAL)

This work shall consist of preparing the ground surface, fertilizing the areas to be seeded and furnishing and placing seed. The locations to be seeded shall be those areas disturbed by construction and as shown on the plans. All work shall be in accordance with the applicable portions of Section 211 and 250 of the Standard Specifications. The typical pay width shall be as detailed in the plans or as directed by the Engineer.

Prior to seeding, the Contractor shall first spread and blend in fertilizer in accordance with Section 250 of the Standard Specifications. The fertilizer shall be applied at the rate of 270 pounds per acre and at a 1:1:1 ratio as follows:

1. Nitrogen Fertilizer Nutrient 90 lbs/acre
2. Phosphorus Fertilizer Nutrient 90 lbs/acre
3. Potassium Fertilizer Nutrient 90 lbs/acre

Restoration limits for seeding shall be as indicated on the plans or directed by the Engineer. If, in the opinion of the Engineer, more surface area than necessary has been damaged, it shall be replaced by the Contractor as specified herein without additional compensation.

Watering shall be as specified in the Standard Specifications and shall be the contractor's responsibility to guarantee the growth of the seed regardless of the number of waterings required.

No additional compensation shall be paid for furnishing and applying the fertilizer but rather this work will be considered incidental to the restoration. Watering shall be in accordance with Article 252.09 of the Standard Specifications and considered incidental to the seeding. The Contractor will be responsible for watering the area sufficiently for conditions. This work shall be measured in place and shall be paid for at the contract unit price per ACRE for SEEDING, CLASS 1 (SPECIAL), which price shall be full compensation for all labor, equipment, and material to complete the work as specified in these special provisions.

EROSION CONTROL BLANKET

This work shall consist of furnishing and placing erosion control blanket at the sled launch area after seeding and fertilizing operations are completed and as indicated on the plans and directed by the Engineer. The erosion control blanket shall be placed in accordance with Section 251 of the Standard Specifications.

The cost of this work shall be paid for at the contract unit price bid per SQUARE YARD of EROSION CONTROL BLANKET.

40' WOOD POLE (POWER TYPE)

This work shall consist of furnishing and installing preservative-treated 40-foot wood poles as used in electric distribution at the locations shown on the plans. Poles must be made of sound timber, pressure-treated full-length with an approved preservative per AWPA. Each pole must be permanently branded with the species, preservative code, manufacturer, and date of treatment. Poles shall have a bury of 10 feet and extend 30 feet above final grade.

The cost of this work shall be paid for at the contract unit price bid per EACH of 40' WOOD POLE (POWER TYPE).

ALTERNATE BID

The Contractor must complete both the Base Bid and Alternate Bid to be considered.

In lieu of stripping and stockpiling the Vegetation Sustaining Material (VSM), the city may option to have the contractor furnish and place Topsoil, 4", which will be paid for at the contract unit price bid per SQUARE YARD of TOPSOIL FUNISH AND PLACE, 4".

As part of the bidding process, the Strip and Stockpile VSM will be deducted from the Base Bid with the quantity being added to the Earth Excavation Base Bid quantity. Additionally, the quantity for Place VSM will be deducted from the base bid.

When computing costs for the Alternate Bid, the contractor **MUST** use the same Unit Prices for Strip and Stockpile VSM, Earth Excavation and Place VSM from the base bid. Different Unit Prices will not be accepted unless prices are favorable to the city.

BDE SPECIAL PROVISIONS
For the July 31 and September 18, 2026 Lettings

The following special provisions indicated by a “check mark” are applicable to this contract and will be included by the Project Coordination and Implementation Section of the Bureau of Design & Environment (BDE).

File Name	#		Special Provision Title	Effective	Revised
	80099	<input type="checkbox"/>	1 Accessible Pedestrian Signals (APS)	April 1, 2003	Jan. 1, 2022
	80274	<input type="checkbox"/>	2 Aggregate Subgrade Improvement	April 1, 2012	April 1, 2022
	80192	<input type="checkbox"/>	3 Automated Flagger Assistance Devices	Jan. 1, 2008	April 1, 2023
	80173	<input type="checkbox"/>	4 Bituminous Materials Cost Adjustments	Nov. 2, 2006	Aug. 1, 2017
	80426	<input type="checkbox"/>	5 Bituminous Surface Treatment with Fog Seal	Jan. 1, 2020	April 1, 2026
	80475	<input type="checkbox"/>	6 Bridge Deck Concrete Overlays	Jan. 1, 2026	
*	80241	<input type="checkbox"/>	7 Bridge Demolition Debris	July 1, 2009	
*	50531	<input type="checkbox"/>	8 Building Removal	Sept. 1, 1990	Aug. 1, 2022
*	50261	<input type="checkbox"/>	9 Building Removal with Asbestos Abatement	Sept. 1, 1990	Aug. 1, 2022
	80460	<input type="checkbox"/>	10 Cement, Finely Divided Minerals, Admixtures, Concrete, and Mortar	Jan. 1, 2025	Jan. 1, 2026
	80384	<input type="checkbox"/>	11 Compensable Delay Costs	June 2, 2017	April 1, 2019
*	80198	<input type="checkbox"/>	12 Completion Date (via calendar days)	April 1, 2008	
*	80199	<input type="checkbox"/>	13 Completion Date (via calendar days) Plus Working Days	April 1, 2008	
	80461	<input type="checkbox"/>	14 Concrete Barrier	Jan. 1, 2025	
	80453	<input type="checkbox"/>	15 Concrete Sealer	Nov. 1, 2023	
	80261	<input type="checkbox"/>	16 Construction Air Quality – Diesel Retrofit	June 1, 2010	Jan. 1, 2025
	80476	<input type="checkbox"/>	17 Deck Slab Repair	Jan. 1, 2026	
*	80029	<input type="checkbox"/>	18 Disadvantaged Business Enterprise Participation	Sept. 1, 2000	Jan. 2, 2025
	80467	<input type="checkbox"/>	19 Erosion Control Blanket	Aug. 1, 2025	
	80229	<input type="checkbox"/>	20 Fuel Cost Adjustment	April 1, 2009	Aug. 1, 2017
	80452	<input type="checkbox"/>	21 Full Lane Sealant Waterproofing System	Nov. 1, 2023	
	80433	<input type="checkbox"/>	22 Green Preformed Thermoplastic Pavement Markings	Jan. 1, 2021	Jan. 1, 2022
	80471	<input type="checkbox"/>	23 Guardrail	Nov. 1, 2025	
	80472	<input type="checkbox"/>	24 High Friction Surface Treatment	Nov. 1, 2025	
	80456	<input type="checkbox"/>	25 Hot-Mix Asphalt	Jan. 1, 2024	April 1, 2026
	80446	<input type="checkbox"/>	26 Hot-Mix Asphalt - Longitudinal Joint Sealant	Nov. 1, 2022	Aug. 1, 2023
	80438	<input type="checkbox"/>	27 Illinois Works Apprenticeship Initiative – State Funded Contracts	June 2, 2021	April 2, 2024
	80483	<input type="checkbox"/>	28 Inlet Filters	April 1, 2026	
	80477	<input type="checkbox"/>	29 Longitudinal Tining	Jan. 1, 2026	July 1, 2026
	80450	<input type="checkbox"/>	30 Mechanically Stabilized Earth Retaining Walls	Aug. 1, 2023	Aug. 1, 2025
	80478	<input type="checkbox"/>	31 Modified Longitudinal Construction Joint	Jan. 1, 2026	
	80464	<input type="checkbox"/>	32 Pavement Marking	April. 1, 2025	Nov. 1, 2025
	80468	<input type="checkbox"/>	33 Pavement Patching	Aug. 1, 2025	
	80441	<input type="checkbox"/>	34 Performance Graded Asphalt Binder	Jan. 1, 2023	
	80459	<input type="checkbox"/>	35 Preformed Plastic Pavement Marking	June 2, 2024	
*	34261	<input type="checkbox"/>	36 Railroad Protective Liability Insurance	Dec. 1, 1986	Jan. 1, 2022
	80473	<input type="checkbox"/>	37 Raised Reflective Pavement Markers	Nov. 1, 2025	
	80455	<input type="checkbox"/>	38 Removal and Disposal of Regulated Substances	Jan. 1, 2024	April 1, 2026
	80474	<input type="checkbox"/>	39 Residential Driveway Temporary Signal	Nov. 1, 2025	
	80445	<input type="checkbox"/>	40 Seeding	Nov. 1, 2022	July 1, 2026
	80457	<input type="checkbox"/>	41 Short Term and Temporary Pavement Markings	April 1, 2024	April 2, 2024
	80462	<input type="checkbox"/>	42 Sign Panels and Appurtenances	Jan. 1, 2025	Jan. 1, 2026
	80479	<input type="checkbox"/>	43 Sinusoidal Rumble Strips	Jan. 1, 2026	
	80469	<input type="checkbox"/>	44 Slope Wall	Aug. 1, 2025	
	80448	<input type="checkbox"/>	45 Source of Supply and Quality Requirements	Jan. 2, 2023	Jan. 1, 2026
	80340	<input type="checkbox"/>	46 Speed Display Trailer	April 2, 2014	Jan. 1, 2022
	80127	<input type="checkbox"/>	47 Steel Cost Adjustment	April 2, 2004	Nov. 1, 2025
	80480	<input type="checkbox"/>	48 Structural Repair of Concrete	Jan. 1, 2026	
	80397	<input type="checkbox"/>	49 Subcontractor and DBE Payment Reporting	April 2, 2018	
	80391	<input type="checkbox"/>	50 Subcontractor Mobilization Payments	Nov. 2, 2017	April 1, 2019
	80463	<input type="checkbox"/>	51 Submission of Bidders List Information	Jan. 2, 2025	Mar. 2, 2025

	80482	52	<input type="checkbox"/>	Submission of Payroll Records – Federal Aid Contract	April 1, 2026	
	80437	53	<input type="checkbox"/>	Submission of Payroll Records – State Contract	April 1, 2021	April 1, 2026
	80435	54	<input type="checkbox"/>	Surface Testing of Pavements – IRI	Jan. 1, 2021	Jan. 1, 2023
	80465	55	<input type="checkbox"/>	Surveying Services	April 1, 2025	
	80481	56	<input type="checkbox"/>	Temporary Concrete Barrier	Jan. 1, 2026	
	80466	57	<input type="checkbox"/>	Temporary Rumble Strips	April 1, 2025	
	80484	58	<input checked="" type="checkbox"/>	Tolerance in Thickness for Continuously Reinforced PCC Pavement	July 1, 2026	
	80470	59	<input type="checkbox"/>	Traffic Signal Backplate	Aug. 1, 2025	
*	20338	60	<input type="checkbox"/>	Training Special Provisions	Oct. 15, 1975	Sept. 2, 2021
	80429	61	<input type="checkbox"/>	Ultra-Thin Bonded Wearing Course	April 1, 2020	Jan. 1, 2022
	80439	62	<input type="checkbox"/>	Vehicle and Equipment Warning Lights	Nov. 1, 2021	Nov. 1, 2022
	80458	63	<input type="checkbox"/>	Waterproofing Membrane System	Aug. 1, 2024	
	80302	64	<input type="checkbox"/>	Weekly DBE Trucking Reports	June 2, 2012	Jan. 2, 2025
	80454	65	<input type="checkbox"/>	Wood Sign Support	Nov. 1, 2023	
	80427	66	<input type="checkbox"/>	Work Zone Traffic Control Devices	Mar. 2, 2020	Jan. 1, 2026
	80485	67	<input checked="" type="checkbox"/>	Work Zone Width Restriction	July 1, 2026	
*	80071	68	<input type="checkbox"/>	Working Days	Jan. 1, 2002	

Highlighted items indicate a new or revised special provision for the letting.

An * indicates the special provision requires additional information from the designer, which needs to be submitted separately. The Project Coordination and Implementation Section will then include the information in the applicable special provision.

The following special provisions are in the 2026 Supplemental Specifications and Recurring Special Provisions.

<u>File Name</u>	<u>Special Provision Title</u>	<u>New Location(s)</u>	<u>Effective</u>	<u>Revised</u>
80447	Grading and Shaping Ditches	Articles 214.03 & 214.04	Jan. 1, 2023	

COMPENSABLE DELAY COSTS (BDE)

Effective: June 2, 2017

Revised: April 1, 2019

Revise Article 107.40(b) of the Standard Specifications to read:

“(b) Compensation. Compensation will not be allowed for delays, inconveniences, or damages sustained by the Contractor from conflicts with facilities not meeting the above definition; or if a conflict with a utility in an unanticipated location does not cause a shutdown of the work or a documentable reduction in the rate of progress exceeding the limits set herein. The provisions of Article 104.03 notwithstanding, compensation for delays caused by a utility in an unanticipated location will be paid according to the provisions of this Article governing minor and major delays or reduced rate of production which are defined as follows.

- (1) Minor Delay. A minor delay occurs when the work in conflict with the utility in an unanticipated location is completely stopped for more than two hours, but not to exceed two weeks.
- (2) Major Delay. A major delay occurs when the work in conflict with the utility in an unanticipated location is completely stopped for more than two weeks.
- (3) Reduced Rate of Production Delay. A reduced rate of production delay occurs when the rate of production on the work in conflict with the utility in an unanticipated location decreases by more than 25 percent and lasts longer than seven calendar days.”

Revise Article 107.40(c) of the Standard Specifications to read:

“(c) Payment. Payment for Minor, Major, and Reduced Rate of Production Delays will be made as follows.

- (1) Minor Delay. Labor idled which cannot be used on other work will be paid for according to Article 109.04(b)(1) and (2) for the time between start of the delay and the minimum remaining hours in the work shift required by the prevailing practice in the area.

Equipment idled which cannot be used on other work, and which is authorized to standby on the project site by the Engineer, will be paid for according to Article 109.04(b)(4).

- (2) Major Delay. Labor will be the same as for a minor delay.

Equipment will be the same as for a minor delay, except Contractor-owned equipment will be limited to two weeks plus the cost of move-out to either the

Contractor's yard or another job and the cost to re-mobilize, whichever is less. Rental equipment may be paid for longer than two weeks provided the Contractor presents adequate support to the Department (including lease agreement) to show retaining equipment on the job is the most economical course to follow and in the public interest.

- (3) Reduced Rate of Production Delay. The Contractor will be compensated for the reduced productivity for labor and equipment time in excess of the 25 percent threshold for that portion of the delay in excess of seven calendar days. Determination of compensation will be in accordance with Article 104.02, except labor and material additives will not be permitted.

Payment for escalated material costs, escalated labor costs, extended project overhead, and extended traffic control will be determined according to Article 109.13."

Revise Article 108.04(b) of the Standard Specifications to read:

"(b) No working day will be charged under the following conditions.

- (1) When adverse weather prevents work on the controlling item.
- (2) When job conditions due to recent weather prevent work on the controlling item.
- (3) When conduct or lack of conduct by the Department or its consultants, representatives, officers, agents, or employees; delay by the Department in making the site available; or delay in furnishing any items required to be furnished to the Contractor by the Department prevents work on the controlling item.
- (4) When delays caused by utility or railroad adjustments prevent work on the controlling item.
- (5) When strikes, lock-outs, extraordinary delays in transportation, or inability to procure critical materials prevent work on the controlling item, as long as these delays are not due to any fault of the Contractor.
- (6) When any condition over which the Contractor has no control prevents work on the controlling item."

Revise Article 109.09(f) of the Standard Specifications to read:

"(f) Basis of Payment. After resolution of a claim in favor of the Contractor, any adjustment in time required for the work will be made according to Section 108. Any adjustment in the costs to be paid will be made for direct labor, direct materials, direct equipment, direct jobsite overhead, direct offsite overhead, and other direct costs allowed by the resolution. Adjustments in costs will not be made for interest charges, loss of anticipated profit, undocumented loss of efficiency, home office overhead and unabsorbed overhead

other than as allowed by Article 109.13, lost opportunity, preparation of claim expenses and other consequential indirect costs regardless of method of calculation.

The above Basis of Payment is an essential element of the contract and the claim cost recovery of the Contractor shall be so limited.”

Add the following to Section 109 of the Standard Specifications.

“109.13 Payment for Contract Delay. Compensation for escalated material costs, escalated labor costs, extended project overhead, and extended traffic control will be allowed when such costs result from a delay meeting the criteria in the following table.

Contract Type	Cause of Delay	Length of Delay
Working Days	Article 108.04(b)(3) or Article 108.04(b)(4)	No working days have been charged for two consecutive weeks.
Completion Date	Article 108.08(b)(1) or Article 108.08(b)(7)	The Contractor has been granted a minimum two week extension of contract time, according to Article 108.08.

Payment for each of the various costs will be according to the following.

- (a) Escalated Material and/or Labor Costs. When the delay causes work, which would have otherwise been completed, to be done after material and/or labor costs have increased, such increases will be paid. Payment for escalated material costs will be limited to the increased costs substantiated by documentation furnished by the Contractor. Payment for escalated labor costs will be limited to those items in Article 109.04(b)(1) and (2), except the 35 percent and 10 percent additives will not be permitted.
- (b) Extended Project Overhead. For the duration of the delay, payment for extended project overhead will be paid as follows.
 - (1) Direct Jobsite and Offsite Overhead. Payment for documented direct jobsite overhead and documented direct offsite overhead, including onsite supervisory and administrative personnel, will be allowed according to the following table.

Original Contract Amount	Supervisory and Administrative Personnel
Up to \$5,000,000	One Project Superintendent
Over \$ 5,000,000 - up to \$25,000,000	One Project Manager, One Project Superintendent or Engineer, and One Clerk
Over \$25,000,000 - up to \$50,000,000	One Project Manager, One Project Superintendent, One Engineer, and

	One Clerk
Over \$50,000,000	One Project Manager, Two Project Superintendents, One Engineer, and One Clerk

(2) Home Office and Unabsorbed Overhead. Payment for home office and unabsorbed overhead will be calculated as 8 percent of the total delay cost.

(c) Extended Traffic Control. Traffic control required for an extended period of time due to the delay will be paid for according to Article 109.04.

When an extended traffic control adjustment is paid under this provision, an adjusted unit price as provided for in Article 701.20(a) for increase or decrease in the value of work by more than ten percent will not be paid.

Upon payment for a contract delay under this provision, the Contractor shall assign subrogation rights to the Department for the Department's efforts of recovery from any other party for monies paid by the Department as a result of any claim under this provision. The Contractor shall fully cooperate with the Department in its efforts to recover from another party any money paid to the Contractor for delay damages under this provision."

EROSION CONTROL BLANKET (BDE)

Effective: August 1, 2025

Revise Article 251.02 of the Standard Specifications to read:

“251.02 Materials. Materials shall be according to the following.

Item	Article/Section
(a) Compost	1081.05(b)
(b) Mulch	1081.06(a)
(c) Chemical Mulch Binder	1081.06(a)(3)
(d) Chemical Compost Binder	1081.06(a)(4)
(e) Erosion Control Blanket	1081.10(a)
(f) Wildlife Friendly Erosion Control Blanket	1081.10(b)
(g) Wire Staples.....	1081.10(c)
(h) Wood Stakes	1081.10(d)
(i) Turf Reinforcement Mat	1081.10(e)”

Revise the first and second sentences of Article 251.04 of the Standard Specifications to read:

“251.04 Erosion Control Blanket. All erosion control blanket materials shall be placed on the areas specified within 24 hours of seed placement.”

Revise the second paragraph of Article 251.04 of the Standard Specifications to read:

“After the area has been properly shaped, fertilized (when applicable), and seeded, the blanket shall be laid out flat, evenly, and smoothly, without stretching the material. The erosion control blanket shall be placed according to the manufacture’s recommendations.”

Revise the second sentence of Article 251.06(b) of the Standard Specifications to read:

“Erosion control blanket, wildlife friendly erosion control blanket, and turf reinforcement mat will be measured for payment in square yards (square meters).”

Revise Article 251.07 of the Standard Specifications to read:

“251.07 Basis of Payment. This work will be paid for at the contract unit price per acre (hectare) for MULCH, of the method specified; and at the contract unit price per square yard (square meter) for EROSION CONTROL BLANKET, WILDLIFE FRIENDLY EROSION CONTROL BLANKET, or TURF REINFORCEMENT MAT.”

Revise first sentence of Article 280.04(h) of the Standard Specifications to read:

“This system consists of temporarily installing erosion control blanket or wildlife friendly erosion control blanket over areas that are to be reworked during a later construction phase.”

Revise Article 280.08(g) of the Standard Specifications to read:

“(g) Temporary Erosion Control Blanket. Temporary erosion control blanket will be paid for at the contract unit price per square yard (square meter) for TEMPORARY EROSION CONTROL BLANKET or TEMPORARY WILDLIFE FRIENDLY EROSION CONTROL BLANKET.

The work of removing, storing, and reinstalling the blanket over areas to be reworked more than once will not be paid for separately but shall be included in the cost of the temporary erosion control blanket or temporary wildlife friendly erosion control blanket.”

Revise Article 1081.10 of the Standard Specifications to read:

“**1081.10 Erosion Control Blankets.** The manufacturer shall furnish a certificate with each shipment stating the amount of product furnished and that the material complies with these requirements.

(a) Erosion Control Blanket. Erosion control blanket shall be covered on top and bottom, also known as double net, with a 100 percent biodegradable woven, natural fiber or jute net meeting the following.

Material	Minimum Value
Excelsior	80%
Straw	100%
Coconut or Coir	100% Coconut or Coir
Straw/Coconut or Coir	70% Straw / 30% Coconut or Coir

(b) Wildlife Friendly Erosion Control Blanket. Wildlife friendly erosion control blanket shall be according to Article 1081.10(a) except the netting shall be loose weave, also known as leno weave or gauze weave, with a moveable joint.

(c) Wire Staples. Staples shall be made from No. 11 gauge or heavier uncoated black carbon steel wire, a minimum of 1 in. (25 mm) wide at the top and a minimum overall length of 8 in. (200 mm).

(d) Wood Stakes. Hardwood blanket anchors shall be nominally 7 in. (180 mm) long from neck of hook to tip of anchor. The anchor shall have a minimum 1/2 in. (13 mm) curving hook to hold the blanket in place.

(e) Turf Reinforcement Mat (TRM). The TRM shall be comprised of non-degradable, ultraviolet stabilized synthetic fibers, filaments, netting, and/or wire mesh processed into

a three-dimensional reinforced mat. The mats may include degradable material to assist with vegetation establishment. Soil filled mats will not be allowed.

The TRM shall meet the following physical and performance properties:

Property	Value	Test Method
Tensile Strength, lb/ft (kN/m)	150 (2.19) min.	ASTM D 6818
UV Stability, (% Tensile Retained)	80 min.	ASTM D 4355 (1000 Hour Exposure)
Resiliency, (% Thickness Retained)	80 min.	ASTM D 6524
Allowable Shear Stress, lb/sq ft (Pa) ^{1/}	8 (384)	ECTC approved test method and independent laboratory

1/ Minimum shear stress the TRM (fully vegetated) can sustain without physical damage or excess erosion (> 1/2 in. (13 mm) soil loss) during a 30 minute flow event in large scale testing.

For TRMs containing degradable components, all property values shall be obtained on the non-degradable portion of the matting alone.”

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)

Effective: January 1, 2024

Revised: April 1, 2024

Revise the first paragraph of Article 669.04 of the Standard Specifications to read:

“669.04 Regulated Substances Monitoring. Regulated substances monitoring includes environmental observation and field screening during regulated substances management activities. The excavated soil and groundwater within the work areas shall be managed as either uncontaminated soil, hazardous waste, special waste, or non-special waste.

As part of the regulated substances monitoring, the monitoring personnel shall perform and document the applicable duties listed on form BDE 2732 “Regulated Substances Monitoring Daily Record (RSM DR)”.

Revise the first two sentences of the nineteenth paragraph of Article 669.05 of the Standard Specifications to read:

“The Contractor shall coordinate waste disposal approvals with the disposal facility and provide the specific analytical testing requirements of that facility. The Contractor shall make all arrangements for collection, transportation, and analysis of landfill acceptance testing.”

Revise the last paragraph of Article 669.05 of the Standard Specifications to read:

“The Contractor shall select a permitted landfill facility or CCDD/USFO facility meeting the requirements of 35 Ill. Admin. Code Parts 810-814 or Part 1100, respectively. The Department will review and approve or reject the facility proposed by the Contractor based upon information provided in BDE 2730. The Contractor shall verify whether the selected facility is compliant with those applicable standards as mandated by their permit and whether the facility is presently, has previously been, or has never been, on the United States Environmental Protection Agency (U.S. EPA) National Priorities List or the Resource Conservation and Recovery Act (RCRA) List of Violating Facilities. The use of a Contractor selected facility shall in no manner delay the construction schedule or alter the Contractor's responsibilities as set forth.”

Revise the first paragraph of Article 669.07 of the Standard Specifications to read:

“669.07 Temporary Staging. Soil classified according to Articles 669.05(a)(2), (b)(1), or (c) may be temporarily staged at the Contractor's option. All other soil classified according to Articles 669.05(a)(1), (a)(3), (a)(4), (a)(5), (a)(6), or (b)(2) shall be managed and disposed of without temporary staging to the greatest extent practicable. If circumstances beyond the Contractor's control require temporary staging of these latter materials, the Contractor shall request approval from the Engineer in writing.

Topsoil for re-use as final cover which has been field screened and found not to exhibit PID readings over daily background readings as documented on the BDE 2732, visual staining or

odors, and is classified according to Articles 669.05(a)(2), (a)(3), (a)(4), (b)(1), or (c) may be temporarily staged at the Contractor's option."

Add the following paragraph after the sixth paragraph of Article 669.11 of the Standard Specifications.

"The sampling and testing of effluent water derived from dewatering discharges for priority pollutants volatile organic compounds (VOCs), priority pollutants semi-volatile organic compounds (SVOCs), or priority pollutants metals, will be paid for at the contract unit price per each for VOCS GROUNDWATER ANALYSIS using EPA Method 8260B, SVOCs GROUNDWATER ANALYSIS using EPA Method 8270C, or RCRA METALS GROUNDWATER ANALYSIS using EPA Methods 6010B and 7471A. This price shall include transporting the sample from the job site to the laboratory."

Revise the first sentence of the eight paragraph of Article 669.11 of the Standard Specifications to read:

"Payment for temporary staging of soil classified according to Articles 669.05(a)(1), (a)(3), (a)(4), (a)(5), (a)(6), or (b)(2) to be managed and disposed of, if required and approved by the Engineer, will be paid according to Article 109.04."

80455

SEEDING (BDE)

Effective: November 1, 2022

Revise Article 250.07 of the Standard Specifications to read:

“250.07 Seeding Mixtures. The classes of seeding mixtures and combinations of mixtures will be designated in the plans.

When an area is to be seeded with two or more seeding classes, those mixtures shall be applied separately on the designated area within a seven day period. Seeding shall occur prior to placement of mulch cover. A Class 7 mixture can be applied at any time prior to applying any seeding class or added to them and applied at the same time.

TABLE 1 - SEEDING MIXTURES

Class - Type	Seeds	lb/acre (kg/hectare)
1 Lawn Mixture 1/	Kentucky Bluegrass Perennial Ryegrass <i>Festuca rubra</i> ssp. <i>rubra</i> (Creeping Red Fescue)	100 (110) 60 (70) 40 (50)
1A Salt Tolerant Lawn Mixture 1/	Kentucky Bluegrass Perennial Ryegrass <i>Festuca rubra</i> ssp. <i>rubra</i> (Creeping Red Fescue) <i>Festuca brevipilla</i> (Hard Fescue) <i>Puccinellia distans</i> (Fults Saltgrass or Salty Alkaligrass)	60 (70) 20 (20) 20 (20) 20 (20) 60 (70)
1B Low Maintenance Lawn Mixture 1/	Turf-Type Fine Fescue 3/ Perennial Ryegrass Red Top <i>Festuca rubra</i> ssp. <i>rubra</i> (Creeping Red Fescue)	150 (170) 20 (20) 10 (10) 20 (20)
2 Roadside Mixture 1/	<i>Lolium arundinaceum</i> (Tall Fescue) Perennial Ryegrass <i>Festuca rubra</i> ssp. <i>rubra</i> (Creeping Red Fescue) Red Top	100 (110) 50 (55) 40 (50) 10 (10)
2A Salt Tolerant Roadside Mixture 1/	<i>Lolium arundinaceum</i> (Tall Fescue) Perennial Ryegrass <i>Festuca rubra</i> ssp. <i>rubra</i> (Creeping Red Fescue) <i>Festuca brevipilla</i> (Hard Fescue) <i>Puccinellia distans</i> (Fults Saltgrass or Salty Alkaligrass)	60 (70) 20 (20) 30 (20) 30 (20) 60 (70)
3 Northern Illinois Slope Mixture 1/	<i>Elymus canadensis</i> (Canada Wild Rye) 5/ Perennial Ryegrass Alsike Clover 4/ <i>Desmanthus illinoensis</i> (Illinois Bundleflower) 4/ 5/ <i>Schizachyrium scoparium</i> (Little Bluestem) 5/ <i>Bouteloua curtipendula</i> (Side-Oats Grama) 5/ <i>Puccinellia distans</i> (Fults Saltgrass or Salty Alkaligrass) Oats, Spring Slender Wheat Grass 5/ Buffalo Grass 5/ 7/	5 (5) 20 (20) 5 (5) 2 (2) 12 (12) 10 (10) 30 (35) 50 (55) 15 (15) 5 (5)
3A Southern Illinois Slope Mixture 1/	Perennial Ryegrass <i>Elymus canadensis</i> (Canada Wild Rye) 5/ <i>Panicum virgatum</i> (Switchgrass) 5/ <i>Schizachyrium scoparium</i> (Little Blue Stem) 5/ <i>Bouteloua curtipendula</i> (Side-Oats Grama) 5/ <i>Dalea candida</i> (White Prairie Clover) 4/ 5/ <i>Rudbeckia hirta</i> (Black-Eyed Susan) 5/ Oats, Spring	20 (20) 20 (20) 10 (10) 12 (12) 10 (10) 5 (5) 5 (5) 50 (55)

Class – Type	Seeds	lb/acre (kg/hectare)
4 Native Grass 2/ 6/	<i>Andropogon gerardi</i> (Big Blue Stem) 5/	4 (4)
	<i>Schizachyrium scoparium</i> (Little Blue Stem) 5/	5 (5)
	<i>Bouteloua curtipendula</i> (Side-Oats Grama) 5/	5 (5)
	<i>Elymus canadensis</i> (Canada Wild Rye) 5/	1 (1)
	<i>Panicum virgatum</i> (Switch Grass) 5/	1 (1)
	<i>Sorghastrum nutans</i> (Indian Grass) 5/	2 (2)
	Annual Ryegrass	25 (25)
	Oats, Spring	25 (25)
	Perennial Ryegrass	15 (15)
	4A Low Profile Native Grass 2/ 6/	<i>Schizachyrium scoparium</i> (Little Blue Stem) 5/
<i>Bouteloua curtipendula</i> (Side-Oats Grama) 5/		5 (5)
<i>Elymus canadensis</i> (Canada Wild Rye) 5/		1 (1)
<i>Sporobolus heterolepis</i> (Prairie Dropseed) 5/		0.5 (0.5)
Annual Ryegrass		25 (25)
Oats, Spring		25 (25)
Perennial Ryegrass		15 (15)
4B Wetland Grass and Sedge Mixture 2/ 6/		Annual Ryegrass
	Oats, Spring	25 (25)
	Wetland Grasses (species below) 5/	6 (6)
<u>Species:</u>		<u>% By Weight</u>
<i>Calamagrostis canadensis</i> (Blue Joint Grass)		12
<i>Carex lacustris</i> (Lake-Bank Sedge)		6
<i>Carex slipata</i> (Awl-Fruited Sedge)		6
<i>Carex stricta</i> (Tussock Sedge)		6
<i>Carex vulpinoidea</i> (Fox Sedge)		6
<i>Eleocharis acicularis</i> (Needle Spike Rush)		3
<i>Eleocharis obtusa</i> (Blunt Spike Rush)		3
<i>Glyceria striata</i> (Fowl Manna Grass)		14
<i>Juncus effusus</i> (Common Rush)		6
<i>Juncus tenuis</i> (Slender Rush)		6
<i>Juncus torreyi</i> (Torrey's Rush)		6
<i>Leersia oryzoides</i> (Rice Cut Grass)		10
<i>Scirpus acutus</i> (Hard-Stemmed Bulrush)		3
<i>Scirpus atrovirens</i> (Dark Green Rush)		3
<i>Bolboschoenus fluviatilis</i> (River Bulrush)		3
<i>Schoenoplectus tabernaemontani</i> (Softstem Bulrush)		3
<i>Spartina pectinata</i> (Cord Grass)		4

Class – Type	Seeds	lb/acre (kg/hectare)	
5	Forb with Annuals Mixture 2/ 5/ 6/	Annuals Mixture (Below) Forb Mixture (Below)	1 (1) 10 (10)
Annuals Mixture - Mixture not exceeding 25 % by weight of any one species, of the following:			
<i>Coreopsis lanceolata</i> (Sand Coreopsis) <i>Leucanthemum maximum</i> (Shasta Daisy) <i>Gaillardia pulchella</i> (Blanket Flower) <i>Ratibida columnifera</i> (Prairie Coneflower) <i>Rudbeckia hirta</i> (Black-Eyed Susan)			
Forb Mixture - Mixture not exceeding 5 % by weight PLS of any one species, of the following:			
<i>Amorpha canescens</i> (Lead Plant) 4/ <i>Anemone cylindrica</i> (Thimble Weed) <i>Asclepias tuberosa</i> (Butterfly Weed) <i>Aster azureus</i> (Sky Blue Aster) <i>Symphotrichum leave</i> (Smooth Aster) <i>Aster novae-angliae</i> (New England Aster) <i>Baptisia leucantha</i> (White Wild Indigo) 4/ <i>Coreopsis palmata</i> (Prairie Coreopsis) <i>Echinacea pallida</i> (Pale Purple Coneflower) <i>Eryngium yuccifolium</i> (Rattlesnake Master) <i>Helianthus mollis</i> (Downy Sunflower) <i>Heliopsis helianthoides</i> (Ox-Eye) <i>Liatris aspera</i> (Rough Blazing Star) <i>Liatris pycnostachya</i> (Prairie Blazing Star) <i>Monarda fistulosa</i> (Prairie Bergamot) <i>Parthenium integrifolium</i> (Wild Quinine) <i>Dalea candida</i> (White Prairie Clover) 4/ <i>Dalea purpurea</i> (Purple Prairie Clover) 4/ <i>Physostegia virginiana</i> (False Dragonhead) <i>Potentilla arguta</i> (Prairie Cinquefoil) <i>Ratibida pinnata</i> (Yellow Coneflower) <i>Rudbeckia subtomentosa</i> (Fragrant Coneflower) <i>Silphium laciniatum</i> (Compass Plant) <i>Silphium terebinthinaceum</i> (Prairie Dock) <i>Oligoneuron rigidum</i> (Rigid Goldenrod) <i>Tradescantia ohiensis</i> (Spiderwort) <i>Veronicastrum virginicum</i> (Culver's Root)			

Class – Type	Seeds	lb/acre (kg/hectare)
5A Large Flower Native Forb Mixture 2/ 5/ 6/	Forb Mixture (see below)	5 (5)
	<u>Species:</u>	<u>% By Weight</u>
	<i>Aster novae-angliae</i> (New England Aster)	5
	<i>Echinacea pallida</i> (Pale Purple Coneflower)	10
	<i>Helianthus mollis</i> (Downy Sunflower)	10
	<i>Heliopsis helianthoides</i> (Ox-Eye)	10
	<i>Liatris pycnostachya</i> (Prairie Blazing Star)	10
	<i>Ratibida pinnata</i> (Yellow Coneflower)	5
	<i>Rudbeckia hirta</i> (Black-Eyed Susan)	10
	<i>Silphium laciniatum</i> (Compass Plant)	10
	<i>Silphium terebinthinaceum</i> (Prairie Dock)	20
	<i>Oligoneuron rigidum</i> (Rigid Goldenrod)	10
5B Wetland Forb 2/ 5/ 6/	Forb Mixture (see below)	2 (2)
	<u>Species:</u>	<u>% By Weight</u>
	<i>Acorus calamus</i> (Sweet Flag)	3
	<i>Angelica atropurpurea</i> (Angelica)	6
	<i>Asclepias incarnata</i> (Swamp Milkweed)	2
	<i>Aster puniceus</i> (Purple Stemmed Aster)	10
	<i>Bidens cernua</i> (Beggarticks)	7
	<i>Eutrochium maculatum</i> (Spotted Joe Pye Weed)	7
	<i>Eupatorium perfoliatum</i> (Boneset)	7
	<i>Helenium autumnale</i> (Autumn Sneezeweed)	2
	<i>Iris virginica shrevei</i> (Blue Flag Iris)	2
	<i>Lobelia cardinalis</i> (Cardinal Flower)	5
	<i>Lobelia siphilitica</i> (Great Blue Lobelia)	5
	<i>Lythrum alatum</i> (Winged Loosestrife)	2
	<i>Physostegia virginiana</i> (False Dragonhead)	5
	<i>Persicaria pensylvanica</i> (Pennsylvania Smartweed)	10
	<i>Persicaria lapathifolia</i> (Curlytop Knotweed)	10
	<i>Pycnanthemum virginianum</i> (Mountain Mint)	5
	<i>Rudbeckia laciniata</i> (Cut-leaf Coneflower)	5
	<i>Oligoneuron riddellii</i> (Riddell Goldenrod)	2
	<i>Sparganium eurycarpum</i> (Giant Burreed)	5
6 Conservation Mixture 2/ 6/	<i>Schizachyrium scoparium</i> (Little Blue Stem) 5/ <i>Elymus canadensis</i> (Canada Wild Rye) 5/ Buffalo Grass 5/ 7/ Vernal Alfalfa 4/ Oats, Spring	5 (5) 2 (2) 5 (5) 15 (15) 48 (55)
6A Salt Tolerant Conservation Mixture 2/ 6/	<i>Schizachyrium scoparium</i> (Little Blue Stem) 5/ <i>Elymus canadensis</i> (Canada Wild Rye) 5/ Buffalo Grass 5/ 7/ Vernal Alfalfa 4/ Oats, Spring <i>Puccinellia distans</i> (Fults Saltgrass or Salty Alkaligrass)	5 (5) 2 (2) 5 (5) 15 (15) 48 (55) 20 (20)
7 Temporary Turf Cover Mixture	Perennial Ryegrass Oats, Spring	50 (55) 64 (70)

Notes:

- 1/ Seeding shall be performed when the ambient temperature has been between 45 °F (7 °C) and 80 °F (27 °C) for a minimum of seven (7) consecutive days and is forecasted to be the same for the next five (5) days according to the National Weather Service.
- 2/ Seeding shall be performed in late fall through spring beginning when the ambient temperature has been below 45 °F (7 °C) for a minimum of seven (7) consecutive days and ending when the ambient temperature exceeds 80 °F (27 °C) according to the National Weather Service.
- 3/ Specific variety as shown in the plans or approved by the Engineer.
- 4/ Inoculation required.
- 5/ Pure Live Seed (PLS) shall be used.
- 6/ Fertilizer shall not be used.
- 7/ Seed shall be primed with KNO_3 to break dormancy and dyed to indicate such.

Seeding will be inspected after a period of establishment. The period of establishment shall be six (6) months minimum, but not to exceed nine (9) months. After the period of establishment, areas not exhibiting 75 percent uniform growth shall be interseeded or reseeded, as determined by the Engineer, at no additional cost to the Department.”

80445

VEHICLE AND EQUIPMENT WARNING LIGHTS (BDE)

Effective: November 1, 2021

Revised: November 1, 2022

Add the following paragraph after the first paragraph of Article 701.08 of the Standard Specifications:

“The Contractor shall equip all vehicles and equipment with high-intensity oscillating, rotating, or flashing, amber or amber-and-white, warning lights which are visible from all directions. In accordance with 625 ILCS 5/12-215, the lights may only be in operation while the vehicle or equipment is engaged in construction operations.”

80439

WORKING DAYS (BDE)

Effective: January 1, 2002

The Contractor shall complete the work within 45 working days.

80071

State of Illinois
Department of Transportation
Bureau of Local Roads and Streets

SPECIAL PROVISION
FOR
INSURANCE

Effective: February 1, 2007
Revised: August 1, 2007

All references to Sections or Articles in this specification shall be construed to mean specific Section or Article of the Standard Specifications for Road and Bridge Construction, adopted by the Department of Transportation.

The Contractor shall name the following entities as additional insured under the Contractor's general liability insurance policy in accordance with Article 107.27:

The entities listed above and their officers, employees, and agents shall be indemnified and held harmless in accordance with Article 107.26.

ABV	ABOVE	CU YD	CUBIC YARD	HATCH	HATCHING	PM	PAVEMENT MARKING	STD	STANDARD
A/C	ACCESS CONTROL	CULV	CULVERT	HD	HEAD	PED	PEDESTAL	SBI	STATE BOND ISSUE
AC	ACRE	C&G	CURB & GUTTER	HDW	HEADWALL	PNT	POINT	SR	STATE ROUTE
ADJ	ADJUST	D	DEGREE OF CURVE	HDUTY	HEAVY DUTY	PC	POINT OF CURVATURE	STA	STATION
AS	AERIAL SURVEYS	DC	DEPRESSED CURVE	ha	HECTARE	PI	POINT OF INTERSECTION OF HORIZONTAL CURVE	SPBGR	STEEL PLATE BEAM GUARDRAIL
AGG	AGGREGATE	DET	DETECTOR	HMA	HOT MIX ASPHALT			SS	STORM SEWER
AH	AHEAD	DIA	DIAMETER	HWY	HIGHWAY	PRC	POINT OF REVERSE CURVE	STY	STORY
APT	APARTMENT	DIST	DISTRICT	HORIZ	HORIZONTAL	PT	POINT OF TANGENCY	ST	STREET
ASPH	ASPHALT	DOM	DOMESTIC	HSE	HOUSE	POT	POINT ON TANGENT	STR	STRUCTURE
AUX	AUXILIARY	DBL	DOUBLE	IL	ILLINOIS	POLYETH	POLYETHYLENE	e	SUPERELEVATION RATE
AGS	AUXILIARY GAS VALVE (SERVICE)	DSEL	DOWNSTREAM ELEVATION	IMP	IMPROVEMENT	PCC	PORTLAND CEMENT CONCRETE	S.E. RUN.	SUPERELEVATION RUNOFF LENGTH
AVE	AVENUE	DSFL	DOWNSTREAM FLOWLINE	IN DIA	INCH DIAMETER	PP	POWER POLE OR PRINCIPAL POINT	SURF	SURFACE
AX	AXIS OF ROTATION	DR	DRAINAGE OR DRIVE	INL	INLET	PRM	PRIME	SMK	SURVEY MARKER
BK	BACK	DI	DRAINAGE INLET OR DROP INLET	INST	INSTALLATION	PE	PRIVATE ENTRANCE	T	TANGENT DISTANCE
B-B	BACK TO BACK	DRV	DRIVEWAY	IDS	INTERSECTION DESIGN STUDY	PROF	PROFILE	T.R.	TANGENT RUNOUT DISTANCE
BKPL	BACKPLATE	DCT	DUCT	INV	INVERT	PGL	PROFILE GRADELINE	TEL	TELEPHONE
B	BARN	EA	EACH	IP	IRON PIPE	PROJ	PROJECT	TB	TELEPHONE BOX
BARR	BARRICADE	EB	EASTBOUND	IR	IRON ROD	P.C.	PROPERTY CORNER	TP	TELEPHONE POLE
BL	BASELINE	EOP	EDGE OF PAVEMENT	JT	JOINT	PL	PROPERTY LINE	TEMP	TEMPORARY
BGN	BEGIN	E-CL	EDGE TO CENTERLINE	kg	KILOGRAM	PR	PROPOSED	TBM	TEMPORARY BENCH MARK
BM	BENCHMARK	E-E	EDGE TO EDGE	km	KILOMETER	R	RADIUS or RESIDENTIAL	TD	TILE DRAIN
BIND	BINDER	ELEC	ELECTRICAL	LS	LANDSCAPING	RR	RAILROAD	TBE	TO BE EXTENDED
BIT	BITUMINOUS	EL	ELEVATION	LN	LANE	RRS	RAILROAD SPIKE	TBR	TO BE REMOVED
BTM	BOTTOM	ENTR	ENTRANCE	LT	LEFT	RPS	REFERENCE POINT STAKE	TBS	TO BE SAVED
BLVD	BOULEVARD	EXC	EXCAVATION	LIDAR	LIGHT DETECTION AND RANGING	REF	REFLECTIVE	TWP	TOWNSHIP
BRK	BRICK	EX	EXISTING	LP	LIGHT POLE	RCCP	REINFORCED CONCRETE CULVERT PIPE	TR	TOWNSHIP ROAD
BBOX	BUFFALO BOX	EXPWAY	EXPRESSWAY	LG	LIGHTING	REINF	REINFORCEMENT	TS	TRAFFIC SIGNAL
BLDG	BUILDING	E	EXTERNAL DISTANCE OF HORIZONTAL CURVE	LF	LINEAL FEET OR LINEAR FEET	REM	REMOVAL	TSCB	TRAFFIC SIGNAL CONTROL BOX
CATV	CABLE	E	OFFSET DISTANCE TO VERTICAL CURVE	L	LITER OR CURVE LENGTH	RC	REMOVE CROWN	TSC	TRAFFIC SYSTEMS CENTER
CIP	CAST IRON PIPE	F-F	FACE TO FACE	LC	LONG CHORD	REP	REPLACEMENT	TRVS	TRANSVERSE
CB	CATCH BASIN	FA	FEDERAL AID	LNG	LONGITUDINAL	REST	RESTAURANT	TRVL	TRAVEL
C-C	CENTER TO CENTER	FAI	FEDERAL AID INTERSTATE	L SUM	LUMP SUM	RESURF	RESURFACING	TRN	TURN
CL	CENTERLINE OR CLEARANCE	FAP	FEDERAL AID PRIMARY	MACH	MACHINE	RET	RETAINING	TY	TYPE
CL-E	CENTERLINE TO EDGE	FAS	FEDERAL AID SECONDARY	MB	MAIL BOX	RT	RIGHT	T-A	TYPE A
CL-F	CENTERLINE TO FACE	FAUS	FEDERAL AID URBAN SECONDARY	MH	MANHOLE	ROW	RIGHT-OF-WAY	TYP	TYPICAL
CTS	CENTERS	FP	FENCE POST	MATL	MATERIAL	RD	ROAD	UNDGND	UNDERGROUND
CERT	CERTIFIED	OPT	FIBER OPTIC	MED	MEDIAN	RDWY	ROADWAY	USGS	U.S. GEOLOGICAL SURVEY
CHSLD	CHISELED	FE	FIELD ENTRANCE	m	METER	RTE	ROUTE	USEL	UPSTREAM ELEVATION
CS	CITY STREET	FH	FIRE HYDRANT	METH	METHOD	SAN	SANITARY	USFL	UPSTREAM FLOWLINE
CP	CLAY PIPE	FL	FLOW LINE	M	MID-ORDINATE	SANS	SANITARY SEWER	UTILITY	UTILITY
CLSD	CLOSED	FB	FOOT BRIDGE	mm	MILLIMETER	SEC	SECTION	VBOX	VALVE BOX
CLID	CLOSED LID	FDN	FOUNDATION	mm DIA	MILLIMETER DIAMETER	SEED	SEEDING	VV	VALVE VAULT
CT	COAT OR COUR	FR	FRAME	MIX	MIXTURE	SHAP	SHAPING	VL	VAULT
COMB	COMBINATION	F&G	FRAME & GRATE	MBH	MOBILE HOME	S	SHED	VEH	VEHICLE
C	COMMERCIAL BUILDING	FRWAY	FREEWAY	MOD	MODIFIED	SH	SHEET	VP	VENT PIPE
CE	COMMERCIAL ENTRANCE	GAL	GALLON	MFT	MOTOR FUEL TAX	SHLD	SHOULDER	VERT	VERTICAL
CONC	CONCRETE	GALV	GALVANIZED	N & BC	NAIL & BOTTLE CAP	SW	SIDEWALK OR SOUTHWEST	VC	VERTICAL CURVE
CONST	CONSTRUCT	G	GARAGE	N & C	NAIL & CAP	SIG	SIGNAL	VPC	VERTICAL POINT OF CURVATURE
CONTD	CONTINUED	GM	GAS METER	N & W	NAIL & WASHER	SOD	SODDING	VPI	VERTICAL POINT OF INTERSECTION
CONT	CONTINUOUS	GV	GAS VALVE	NC	NORMAL CROWN	SM	SOLID MEDIUM	VPT	VERTICAL POINT OF TANGENCY
COR	CORNER	GIS	GEOGRAPHICAL INFORMATION SYSTEM	NB	NORTHBOUND	SB	SOUTHBOUND	WM	WATER METER
CORR	CORRUGATED	GRAN	GRANULAR	NE	NORTHEAST	SE	SOUTHEAST	WV	WATER VALVE
CMP	CORRUGATED METAL PIPE	GR	GRATE	NW	NORTHWEST	SPL	SPECIAL	WMMAIN	WATER MAIN
CNTY	COUNTY	GRVL	GRAVEL	O/S	OFFSET	SD	SPECIAL DITCH	WB	WESTBOUND
CH	COUNTY HIGHWAY	GND	GROUND	O&C	OIL AND CHIP	SQ FT	SQUARE FEET	WILDFL	WILDFLOWERS
CSE	COURSE	GUT	GUTTER	OLID	OPEN LID	m ²	SQUARE METER	W	WITH
XSECT	CROSS SECTION	GP	GUY POLE	PAT	PATTERN	mm ²	SQUARE MILLIMETER	WO	WITHOUT
m ³	CUBIC METER	GW	GUY WIRE	PVD	PAVED	SQ YD	SQUARE YARD		
mm ³	CUBIC MILLIMETER	HH	HANDHOLE	PVMT	PAVEMENT	STB	STABILIZED		

Illinois Department of Transportation	
APPROVED _____ January 1, 2026	ISSUED 11-97
ENGINEER OF POLICY AND PROCEDURES <i>Michael L. Wood</i>	
APPROVED _____ January 1, 2026	
ENGINEER OF DESIGN AND ENVIRONMENT <i>Subhojit</i>	

DATE	REVISIONS
1-1-26	Updated bike lane symbol, bike shared roadway symbol, and signing items.
1-1-21	Updated fonts, abbreviations, and symbols.

STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS

(Sheet 1 of 9)

STANDARD 000001-09

<u>ADJUSTMENT ITEMS</u>			<u>EX</u>	<u>PR</u>	<u>ALIGNMENT ITEMS</u>			<u>EX</u>	<u>PR</u>	<u>DRAINAGE ITEMS</u>			<u>EX</u>	<u>PR</u>
Structure To Be Adjusted					Baseline					Channel or Stream Line				
Structure To Be Cleaned					Centerline					Culvert Line				
Main Structure To Be Filled					Centerline Break Circle					Grading & Shaping Ditches				
Structure To Be Filled					Baseline Symbol					Drainage Boundary Line				
Structure To Be Filled Special					Centerline Symbol					Paved Ditch				
Structure To Be Removed					PI Indicator					Aggregate Ditch				
Structure To Be Reconstructed					Point Indicator					Pipe Underdrain				
Structure To Be Reconstructed Special					Horizontal Curve Data (Half Size)			EX, CURVE P.I. STA= Δ= D= R= T= L= E= e= T.A. = S.E. RUN= P.C. STA= P.T. STA=	CURVE P.I. STA= Δ= D= R= T= L= E= e= T.R. = S.E. RUN= P.C. STA= P.T. STA=	Storm Sewer				
Frame and Grate To Be Adjusted					<u>BOUNDARIES ITEMS</u>			<u>EX</u>	<u>PR</u>	Flowline				
Frame and Lid To Be Adjusted					Dashed Property Line					Ditch Check				
Domestic Service Box To Be Adjusted					Solid Property/Lot Line					Headwall				
Valve Vault To Be Adjusted					Section/Grant Line					Inlet				
Special Adjustment					Quarter Section Line					Manhole				
Item To Be Abandoned					Quarter/Quarter Section Line					Summit				
Item To Be Moved					County/Township Line					Roadway Ditch Flow				
Item To Be Relocated					State Line					Swale				
Pavement Removal and Replacement					Chiseled Square Found					Catch Basin				
					Iron Pipe Found					Culvert End Section				
					Iron Pipe Set					Water Surface Indicator				
					Survey Marker					Riprap				
					Property Line Symbol					<u>HYDRAULICS ITEMS</u>			<u>EX</u>	<u>PR</u>
					Same Ownership Symbol (Half Size)					Overflow				
					Northwest Quarter Corner (Half Size)					Sheet Flow				
					Section Corner (Half Size)					Hydrant Outlet				
					Southeast Quarter Corner (Half Size)					STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS <small>(Sheet 2 of 9)</small> STANDARD 000001-09				

Illinois Department of Transportation

APPROVED January 1, 2026

ENGINEER OF POLICY AND PROCEDURES

APPROVED January 1, 2026

ENGINEER OF DESIGN AND ENVIRONMENT


ISSUED 4-19-97

EROSION & SEDIMENT CONTROL ITEMS

EX

PR


Cleaning & Grading Limits
Dike
Erosion Control Fence
Perimeter Erosion Barrier
Temporary Fence




Ditch Check Temporary
Ditch Check Permanent
Inlet & Pipe Protection



Sediment Basin
Erosion Control Blanket
Fabric Formed Concrete Revetment Mat



Turf Reinforcement Mat
Mulch Temporary



Mulch Method 1
Mulch Method 2 Stabilized
Mulch Method 3 Hydraulic




CONTOUR ITEMS

EX

PR

Approx. Index Line
Approx. Intermediate Line
Index Contour
Intermediate Contour



Illinois Department of Transportation
APPROVED January 1, 2026
ENGINEER OF POLICY AND PROCEDURES
APPROVED January 1, 2026
ENGINEER OF DESIGN AND ENVIRONMENT


ISSUED 11-97

NON-HIGHWAY IMPROVEMENT ITEMS

EX

PR

Noise Attn./Levee
Field Line
Fence
Base of Levee
Mailbox
Multiple Mailboxes
Pay Telephone
Advertising Sign
ITS Camera
Wind Turbine
Cellular Tower




Intelligent Transportation Systems

LANDSCAPING ITEMS

EX

PR

Contour Mounding Line
Fence
Fence Post
Shrubs
Mowline
Perennial Plants
Seeding Class 2
Seeding Class 2A
Seeding Class 4
Seeding Class 4 & 5 Combined




EXISTING LANDSCAPING ITEMS (contd.)


EX

PR

Seeding Class 5
Seeding Class 7
Seedlings Type 1
Seedlings Type 2
Sodding
Mowstake w/Sign



Tree Trunk Protection
Evergreen Tree
Shade Tree




LIGHTING

EX

PR

Duct
Conduit
Electrical Aerial Cable
Electrical Buried Cable
Controller
Underpass Luminaire
Power Pole



STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS

(Sheet 3 of 9)

STANDARD 000001-09

**LIGHTING
(contd.)**

EX

PR

Pull Point



Handhole



Heavy Duty Handhole



Junction Box



Light Unit Comb.



Electrical Ground



Traffic Flow Arrow



High Mast Pole
(Half Size)



Light Unit-1




PAVEMENT (MISC.)


EX

PR


Keyed Long. Joint



Keyed Long. Joint w/Tie Bars



Sawed Long. Joint w/Tie Bars



Bituminous Shoulder



Bituminous Taper



Stabilized Driveway



Widening



PAVEMENT MARKINGS

EX

PR

Handicap Symbol



RR Crossing



Raised Marker Amber 1 Way




Raised Marker Amber 2 Way




Raised Marker Crystal 1 Way



Two Way Turn Left



Shoulder Diag. Pattern



Skip-Dash White



Skip-Dash Yellow



Stop Line



Solid Line



Double Centerline



Dotted Lines



Illinois Department of Transportation

APPROVED January 1, 2026
Marshall L. Wood
 ENGINEER OF POLICY AND PROCEDURES

APPROVED January 1, 2026
Subhasis
 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-19-97

**STANDARD SYMBOLS,
ABBREVIATIONS,
AND PATTERNS**

(Sheet 4 of 9)

STANDARD 000001-09

PAVEMENT MARKINGS
(contd.)

CL 2Ln 2Way
RRPM 12.2 m (40') o.c.

CL 2Ln 2Way
RRPM 80' (24.4 m) o.c.

CL Multilane Div.
RRPM 40' (12.2 m) o.c.

CL Multilane Div.
RRPM 80' (24.4 m) o.c.

CL Multilane Div. Dbl.
RRPM 80' (24.4 m) o.c.

CL Multilane Undiv.

Two Way Turn Left Line

Urban Combination Left

Urban Combination Right

Urban Left Turn Arrow

Urban Right Turn Arrow



Urban Left Turn Only

Urban Right Turn Only

Urban Thru Only

EX

PR



Illinois Department of Transportation

APPROVED January 1, 2026
ENGINEER OF POLICY AND PROCEDURES
APPROVED January 1, 2026
ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97

Urban LT & RT Turn Arrow

Urban Thru Arrow



RAILROAD ITEMS

EX

PR

Abandoned Railroad

Railroad

Railroad Point

Control Box

Crossing Gate

Flashing Signal

Railroad Cant. Mast Arm

Crossbuck

REMOVAL ITEMS

EX

PR

Removal Tic

Bituminous Removal

Hatch Pattern

Tree Removal Single

RIGHT OF WAY ITEMS

EX

PR


Future ROW Corner Monument

ROW Marker

ROW Line

Easement

Temporary Easement



**STANDARD SYMBOLS,
ABBREVIATIONS,
AND PATTERNS**

(Sheet 5 of 9)

STANDARD 000001-09

PAVEMENT MARKINGS
(contd.)

EX

PR

Urban U-Turn



Urban Combined U-Turn



Rural Combination Left



Rural Combination Right



Rural Left Turn Arrow



Rural Right Turn Arrow



Rural Left Turn Only



ONLY ONLY ONLY

Rural Right Turn Only



Rural Thru Only



Rural Thru Arrow



Rural Lt & Rt Turn Arrow



Bike Lane Symbol



Bike Lane Text



Bike Path Shared



Bike Shared Roadway



Lane Drop Symbol



Illinois Department of Transportation	
APPROVED <i>Marshall L. Wood</i> January 1, 2026 ENGINEER OF POLICY AND PROCEDURES	ISSUED 1-19-27
APPROVED <i>Sublette</i> January 1, 2026 ENGINEER OF DESIGN AND ENVIRONMENT	

Wrong Way Arrow



STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS <small>(Sheet 6 of 9)</small>
STANDARD 000001-09

**RIGHT OF WAY ITEMS
(contd.)**

	<u>EX</u>	<u>PR</u>
Access Control Line	— AC —	— AC —
Access Control Line & ROW	- - - AC - - -	- - - AC - - -
Access Control Line & ROW with Fence	— AC —	- - - - -
Excess ROW Line		- - - - - XS

**ROADWAY PLAN
ITEMS**

	<u>EX</u>	<u>PR</u>
Cable Barrier	— o — o — o — o — o — o —	— — — — —
Concrete Barrier	— — — — —	— — — — —
Edge of Pavement	- - - - -	- - - - -
Bit Shoulders, Medians and C&G Line	- - - - -	- - - - -
Aggregate Shoulder		- - - - -
Sidewalks, Driveways	- - - - -	- - - - -
Guardrail	— □ — □ — □ — □ — □ — □ —	— □ — □ — □ — □ — □ — □ —
Guardrail Post	□	□
Traffic Sign	□	□
Corrugated Median	▨ ▨ ▨ ▨ ▨ ▨ ▨ ▨	▨ ▨ ▨ ▨ ▨ ▨ ▨ ▨
Impact Attenuator		▨ ▨ ▨ ▨ ▨ ▨ ▨ ▨
North Arrow with District Office (Half Size)	N ↓ □	
Match Line		STA. 45+00
Slope Limit Line	- - - - -	
Typical Cross-Section Line	— — — — —	— — — — —

ROADWAY PROFILES

	<u>EX</u>	<u>PR</u>
P.I. Indicator	△	△
Point Indicator	○	○
Earthworks Balance Point		◐
Begin Point		◑
Vert. Curve Data	VPI = ELEV = L = E =	VPI = ELEV = L = E =
Ditch Profile Left Side	- - - - -	- - - - -
Ditch Profile Right Side	- - - - -	- - - - -
Roadway Profile Line	- - - - -	- - - - -
Storm Sewer Profile Left Side	- - - - -	- - - - -
Storm Sewer Profile Right Side	- - - - -	- - - - -

SIGNING ITEMS

	<u>EX</u>	<u>PR</u>
Cone, Drum or Barricade		○
Barricade Type II	▨ ▨ ▨ ▨ ▨ ▨ ▨ ▨	— — — — —
Barricade Type III		— — — — —
Barricade With Edge Line		— o — o — o — o — o — o —
Flashing Light Sign		○
Vertical Panels		▨ ▨ ▨ ▨ ▨ ▨ ▨ ▨
Direction of Traffic		→
Sign Flag (Half Size)		◊
Reverse Left W1-4L (Half Size)		◊ ↩
Reverse Right W1-4R (Half Size)		◊ ↪

**SIGNING ITEMS
(contd.)**

	<u>EX</u>	<u>PR</u>
Two Way Traffic Sign W6-3 (Half Size)		◊ ↕
Detour Ahead W20-2(O) (Half Size)		◊ DETOUR AHEAD
Left Lane Closed Ahead W20-5L(O) (Half Size)		◊ LEFT LANE CLOSED AHEAD
Right Lane Closed Ahead W20-5R(O) (Half Size)		◊ RIGHT LANE CLOSED AHEAD
Road Closed Ahead W20-3(O) (Half Size)		◊ ROAD CLOSED AHEAD
Road Construction Ahead W20-1103(O) (Half Size)		◊ ROAD CONSTRUCTION AHEAD
One Lane Road Ahead W20-4(O) (Half Size)		◊ ONE LANE ROAD AHEAD
Lane Ends W4-2R(O) (Half Size)		◊ ↗
Lane Ends W4-2L(O) (Half Size)		◊ ↖
One Way Arrow Lrg. W1-6(O) (Half Size)		◊ ←
Two Way Arrow Large W1-7(O) (Half Size)		◊ ↔

Illinois Department of Transportation

APPROVED January 1, 2026
ENGINEER OF POLICY AND PROCEDURES
Michael Wood

APPROVED January 1, 2026
ENGINEER OF DESIGN AND ENVIRONMENT
John C. ...

ISSUED H-197

**STANDARD SYMBOLS,
ABBREVIATIONS,
AND PATTERNS**

(Sheet 7 of 9)

STANDARD 000001-09

**SIGNING ITEMS
(contd.)**

EX

PR

Detour M4-10L-(O)
(Half Size)



Detour M4-10R-(O)
(Half Size)



One Way Left R6-1L
(Half Size)



One Way Right R6-1R
(Half Size)



Left Turn Lane R3-1100L
(Half Size)



Keep Right R4-7



Keep Right R4-7AR
(Half Size)



Keep Left R4-8



Keep Left R4-8AL
(Half Size)



Stop Here On Red R10-6-AL
(Half Size)



Stop Here On Red R10-6-AR
(Half Size)



No Left Turn R3-2
(Half Size)



No Right Turn R3-1
(Half Size)



Road Closed R11-2
(Half Size)



Road Closed Thru Traffic R11-4
(Half Size)



STRUCTURES ITEMS

EX

PR

Box Culvert Barrel



Box Culvert Headwall




Bridge Pier




Bridge



Retaining Wall



Temporary Sheet Piling



**TRAFFIC SHEET
ITEMS**

EX

PR

Cable Number



Left Turn Green



Left Turn Yellow



Signal Backplate



Signal Section 8" (200 mm)



Signal Section 12" (300 mm)



Walk/Don't Walk Letters



Walk/Don't Walk Symbols





**TRAFFIC SIGNAL
ITEMS**

EX

PR


Galv. Steel Conduit



Underground Cable



Detector Loop Line



Detector Loop Large



Detector Loop Small



Detector Loop Quadrapole



Detector Raceway



Aluminum Mast Arm



Steel Mast Arm



Veh. Detector Magnetic



Conduit Splice



**TRAFFIC SIGNAL
ITEMS (contd.)**

EX

PR

Controller



Gulfbox Junction



Wood Pole



Temp. Signal Head



Handhole



Double Handhole



Heavy Duty Handhole



Junction Box



Ped. Pushbutton Detector



Ped. Signal Head



Power Pole Service



Priority Veh. Detector



Signal Head



Signal Head w/Backplate



Signal Post



Closed Circuit TV



Video Detector System




**UNDERGROUND
UTILITY ITEMS**

EX

PR

ABANDONED


Cable TV




Electric Cable




Fiber Optic




Gas Pipe




Oil Pipe



Sanitary Sewer



Telephone Cable



Water Pipe



**STANDARD SYMBOLS,
ABBREVIATIONS,
AND PATTERNS**

(Sheet 8 of 9)

STANDARD 000001-09

Illinois Department of Transportation

APPROVED January 1, 2026
ENGINEER OF POLICY AND PROCEDURES

APPROVED January 1, 2026
ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 11-197

UTILITIES ITEMS

EX

PR

Controller		
Double Handhole		
Fire Hydrant		
GuyWire or Deadman Anchor		
Handhole		
Heavy Duty Handhole		
Junction Box		
Light Pole		
Manhole		
Monitoring Well (Gasoline)		
Pipeline Warning Sign		
Power Pole		
Power Pole with Light		
Sanitary Sewer Cleanout		
Splice Box Above Ground		
Telephone Splice Box Above Ground		
Telephone Pole		
Traffic Signal		
Traffic Signal Control Box		
Water Meter		
Water Meter Valve Box		
Profile Line		
Aerial Power Line		

VEGETATION ITEMS

EX

PR

Deciduous Tree	
Bush or Shrub	
Evergreen Tree	
Stump	
Orchard/Nursery Line	
Vegetation Line	
Woods & Bush Line	

WATER FEATURE ITEMS

EX

PR

Stream or Drainage Ditch	
Waters Edge	
Water Surface Indicator	
Water Point	
Disappearing Ditch	
Marsh	
Marsh/Swamp Boundary	

Illinois Department of Transportation

APPROVED *Michael Wood* January 1, 2026
ENGINEER OF POLICY AND PROCEDURES


APPROVED *S. J. ...* January 1, 2026
ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-19-27

**STANDARD SYMBOLS,
ABBREVIATIONS,
AND PATTERNS**


(Sheet 9 of 9)

STANDARD 000001-09



Place end-post (stake) of first silt fence adjacent to end-post (stake) of second silt fence with fabric positioned as shown.

STEP 1




Rotate posts (stakes) together 180° clockwise and drive both posts (stakes) 18 (450) into ground.


STEP 2

ATTACHING TWO SILT FILTER FENCES

(Not applicable for J-hooks)



SILT FILTER J-HOOK PLACEMENT




J-HOOK

Illinois Department of Transportation

APPROVED January 1, 2013
Michael Beard
 ENGINEER OF POLICY AND PROCEDURES


APPROVED January 1, 2013
[Signature]
 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97




ELEVATION

* When the ditch check is within the clear zone and the road is open to traffic, the traffic approach slope of the aggregate shall be 1:4 (V:H).




SECTION B-B

AGGREGATE DITCH CHECK




ELEVATION

SILT FILTER FENCE AS A PERIMETER EROSION BARRIER



SLICE METHOD



TRENCH METHOD

SECTION A-A

Excavate, backfill and compact trench to secure fabric.

GENERAL NOTES

The installation details and dimensions shown for perimeter erosion barriers shall also apply for inlet and pipe protection.





All dimensions are in inches (millimeters) unless otherwise shown.

DATE	REVISIONS
1-1-13	Corrected notation for flowline (ft) on SEDIMENT BASIN ELEVATION
1-1-12	Omitted hay/straw perimeter barrier. Added SLICE METHOD to SECTION A-A


TEMPORARY EROSION CONTROL SYSTEMS

(Sheet 1 of 2)

STANDARD 280001-07




INLET AND PIPE PROTECTION




The performance of the basin will improve if put into a series.

ELEVATION




The long dimension should be parallel with the direction of the flow. Accumulated silt shall be removed anytime the basins become 75% filled.

PLAN



TYPICAL CUT CROSS-SECTION




TYPICAL FILL CROSS-SECTION

TEMPORARY DITCHES FOR CUT & FILL SECTIONS

SEDIMENT BASIN

Illinois Department of Transportation	
APPROVED <i>Michael Beard</i> January 1, 2013 ENGINEER OF POLICY AND PROCEDURES	ISSUED 1-1-97
APPROVED <i>[Signature]</i> January 1, 2013 ENGINEER OF DESIGN AND ENVIRONMENT	

TEMPORARY EROSION CONTROL SYSTEMS (Sheet 2 of 2)
STANDARD 280001-07



TYPICAL APPLICATIONS

- Landscaping work
- Utility work
- Fencing contracts and maintenance
- Cleaning culverts

GENERAL NOTES

This Standard is used where at all times all vehicles, equipment, workers or their activities are more than 15' (4.5 m) from the edge of pavement.

When the work operation requires that two or more work vehicles cross the 15' (4.5 m) clear zone in any one hour, traffic control shall be according to Standard 701006.

All dimensions are in inches (millimeters) unless otherwise shown.

Illinois Department of Transportation

APPROVED January 1, 2009
 ENGINEER OF OPERATIONS


APPROVED January 1, 2009
 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97


DATE	REVISIONS
1-1-09	Switched units to English (metric).
1-1-05	Revised title and notes.

**OFF-RD OPERATIONS,
 2L, 2W, MORE THAN
 15' (4.5 m) AWAY**



STANDARD 701001-02




DAYTIME USE




DAY OR NIGHTTIME USE



TUBULAR MARKER




**VERTICAL PANEL
POST MOUNTED**




DRUM


CONES




TYPE I BARRICADE




TYPE II BARRICADE




TYPE III BARRICADE



**DIRECTION INDICATOR
BARRICADE**



VERTICAL BARRICADE



**DETECTABLE PEDESTRIAN
CHANNELIZING BARRICADE**

* Warning lights (if required)

GENERAL NOTES

All heights shown shall be measured above the pavement surface.

All dimensions are in inches (millimeters) unless otherwise shown.

Illinois Department of Transportation

APPROVED January 1, 2026

ENGINEER OF SAFETY PROG. AND ENGINEERING

APPROVED January 1, 2026

ENGINEER OF DESIGN AND ENVIRONMENT


31-1-11 (08/2015)

DATE	REVISIONS
1-1-26	Updated Detectable Pedestrian Channelizing Barricade (sht. 1) & Temporary Rumble Strips details (sht. 3)
1-1-25	Updated Temporary Rumble Strip Detail (sht. 3).

**TRAFFIC CONTROL
DEVICES**


(Sheet 1 of 3)

STANDARD 701901-11




POST MOUNTED SIGNS

** When curb or paved shoulder are present this dimension shall be 24 (600) to the face of curb or 6' (1.8 m) to the outside edge of the paved shoulder.




SIGNS ON TEMPORARY SUPPORTS

*** When work operations exceed four days, this dimension shall be 5' (1.5 m) min. If located behind other devices, the height shall be sufficient to be seen completely above the devices.




HIGH LEVEL WARNING DEVICE



W12-I103-4848

WIDTH RESTRICTION SIGN

XX-XX" width and X miles are variable.



FLAGGER TRAFFIC CONTROL SIGN

ROAD CONSTRUCTION NEXT X MILES	END CONSTRUCTION
G20-I104(0)-6036	G20-I105(0)-6024

This signing is required for all projects 2 miles (3200 m) or more in length.

ROAD CONSTRUCTION NEXT X MILES sign shall be placed 500' (150 m) in advance of project limits.

END CONSTRUCTION sign shall be erected at the end of the job unless another job is within 2 miles (3200 m).

Dual sign displays shall be utilized on multi-lane highways.

WORK LIMIT SIGNING

WORK ZONE	W21-I115(0)-3618
SPEED LIMIT XX	R2-1-3648
PHOTO ENFORCED	R10-I108p-3618 ****
\$XXX FINE MINIMUM	R2-I106p-3618

Sign assembly as shown on Standards or as allowed by District Operations.

END WORK ZONE SPEED LIMIT	G20-I103-6036
---------------------------	---------------

This sign shall be used when the above sign assembly is used.

HIGHWAY CONSTRUCTION SPEED ZONE SIGNS

**** R10-I108p shall only be used along roadways under the Jurisdiction of the State.

TRAFFIC CONTROL DEVICES

(Sheet 2 of 3)


STANDARD 701901-11

Illinois Department of Transportation

APPROVED January 1, 2026
S. Elmer
 ENGINEER OF SAFETY PROG. AND ENGINEERING

APPROVED January 1, 2026
J. Elmer
 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 11-1-13




**TYPE A
ROOF
MOUNTED**


**TYPE B
ROOF OR TRAILER
MOUNTED**

**TYPE C
TRAILER
MOUNTED**


ARROW BOARDS



MULTI-LANE HIGHWAYS




TWO-LANE HIGHWAYS




TYPICAL INSTALLATION

TEMPORARY RUMBLE STRIPS



ROAD CLOSED TO ALL TRAFFIC

ReflectORIZED striping may be omitted on the back side of the barricades.



ROAD CLOSED TO THRU TRAFFIC

ReflectORIZED striping shall appear on both sides of the barricades.

**TYPICAL APPLICATIONS OF
TYPE III BARRICADES CLOSING A ROAD**

If a Type III barricade with an attached sign panel which meets NCHRP 350 or MASH is not available, the sign may be mounted on an NCHRP 350 or MASH temporary sign support directly in front of the barricade.

**TRAFFIC CONTROL
DEVICES**

(Sheet 3 of 3)

STANDARD 701901-11

Illinois Department of Transportation

APPROVED January 1, 2026

ENGINEER OF SAFETY PROG. AND ENGINEERING

APPROVED January 1, 2026

ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 11-1-13

LaSalle County Prevailing Wage Rates posted on 5/21/2026

Trade Title	Rg	Type	C	Base	Foreman	Overtime					Pension	Vac	Trng	Other Ins	Add OT 1.5x owed	Add OT 2.0x owed
						M-F	Sa	Su	Hol	H/W						
ASBESTOS ABT-GEN	All	ALL		42.54	44.54	1.5	1.5	2.0	2.0	9.75	21.87	0.00	0.80	0.00	3.75	7.50
ASBESTOS ABT-MEC	All	BLD		42.02	45.38	1.5	1.5	2.0	2.0	16.44	16.64	0.00	0.92		3.37	6.73
BOILERMAKER	All	BLD		50.46	54.46	1.5	1.5	2.0	2.0	7.07	24.29	0.00	2.34	0.00	16.38	32.76
BRICK MASON	All	BLD		45.01	46.01	1.5	1.5	2.0	2.0	12.86	18.63	0.00	1.33	0.00	0.00	0.00
CARPENTER	All	BLD		39.00	42.90	1.5	1.5	2.0	2.0	12.26	24.36	0.00	0.89		0.00	0.00
CARPENTER	All	HWY		40.28	42.03	1.5	1.5	2.0	2.0	12.89	25.12	0.00	0.94	0.00	0.00	0.00
CEMENT MASON	All	ALL		43.35	47.69	1.5	1.5	2.0	2.0	13.38	22.46	0.00	0.80	0.00	0.00	0.00
CERAMIC TILE FINISHER	All	BLD		41.66		1.5	1.5	2.0	2.0	12.45	14.27	0.00	1.25	0.00	0.00	0.00
COMMUNICATION TECHNICIAN	All	BLD		46.00	50.60	1.5	1.5	2.0	2.0	17.54	18.15	0.00	0.75	2.37	0.00	0.00
ELECTRIC PWR EQMT OP	All	ALL		59.91	71.10	1.5	1.5	2.0	2.0	9.30	16.78	0.00	0.60	0.00	0.00	0.00
ELECTRIC PWR GRNDMAN	All	ALL		40.71	71.10	1.5	1.5	2.0	2.0	8.72	11.40	0.00	0.41	0.00	0.00	0.00
ELECTRIC PWR LINEMAN	All	ALL		66.69	71.10	1.5	1.5	2.0	2.0	9.50	18.67	0.00	0.67	0.00	0.00	0.00
ELECTRIC PWR TRK DRV	All	ALL		45.45	71.10	1.5	1.5	2.0	2.0	8.86	12.72	0.00	0.45	0.00	0.00	0.00
ELECTRICIAN	N	BLD		55.60	60.60	1.5	1.5	2.0	2.0	18.13	22.92	0.00	1.35	5.40	0.00	0.00
ELECTRICIAN	S	BLD		51.07	56.18	1.5	1.5	2.0	2.0	8.85	13.23	0.00	0.77	0.00	1.15	2.29
ELEVATOR CONSTRUCTOR	All	BLD		60.52	68.09	2.0	2.0	2.0	2.0	16.37	21.76	4.84	0.85		0.00	0.00
GLAZIER	All	BLD		41.24	43.24	1.5	1.5	1.5	2.0	15.87	11.51	0.00	1.40	0.00	0.00	0.00
HEAT/FROST INSULATOR	All	BLD		56.02	59.38	1.5	1.5	2.0	2.0	16.44	19.88	0.00	0.92		4.99	9.97
IRON WORKER	All	ALL		49.40	54.34	2.0	2.0	2.0	2.0	14.61	26.15	0.00	1.10	0.00	0.00	0.00
LABORER	All	ALL		40.54	42.54	1.5	1.5	2.0	2.0	9.75	21.87	0.00	0.80	0.00	3.75	7.50
LABORER, SKILLED	All	ALL		40.54	42.54	1.5	1.5	2.0	2.0	9.75	21.87	0.00	0.80	0.00	3.75	7.50
LATHER	All	BLD		39.00	42.90	1.5	1.5	2.0	2.0	12.26	24.36	0.00	0.89		0.00	0.00
MACHINIST	All	BLD		60.39	64.39	1.5	1.5	2.0	2.0	11.43	9.95	1.85	1.47	0.00	0.00	0.00
MARBLE FINISHER	All	BLD		41.66		1.5	1.5	2.0	2.0	12.45	14.27	0.00	1.25	0.00	0.00	0.00
MARBLE MASON	All	BLD		45.01	46.01	1.5	1.5	2.0	2.0	12.45	15.90	0.00	1.30	0.00	0.00	0.00
MILLWRIGHT	All	BLD		51.09	56.20	1.5	1.5	2.0	2.0	12.53	20.25	0.00	0.83		0.00	0.00

LaSalle County Prevailing Wage Rates posted on 5/21/2026

MILLWRIGHT	All	HWY		51.09	56.20	1.5	1.5	2.0	2.0	12.53	20.25	0.00	0.83		0.00	0.00
OPERATING ENGINEER	All	BLD	1	63.00	67.00	2.0	2.0	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	BLD	2	61.70	67.00	2.0	2.0	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	BLD	3	59.15	67.00	2.0	2.0	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	BLD	4	57.40	67.00	2.0	2.0	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	BLD	5	65.00	67.00	2.0	2.0	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	BLD	6	66.00	67.00	2.0	2.0	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	BLD	7	64.00	67.00	2.0	2.0	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	HWY	1	63.00	67.00	1.5	1.5	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	HWY	2	62.45	67.00	1.5	1.5	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	HWY	3	60.40	67.00	1.5	1.5	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	HWY	4	59.00	67.00	1.5	1.5	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	HWY	5	57.80	67.00	1.5	1.5	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	HWY	6	66.00	67.00	1.5	1.5	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
OPERATING ENGINEER	All	HWY	7	64.00	67.00	1.5	1.5	2.0	2.0	24.70	21.55	2.00	2.75		0.00	0.00
PAINTER	All	ALL		42.40	44.40	1.5	1.5	1.5	2.0	15.45	12.00	0.00	1.50	0.00	0.00	0.00
PAINTER - SIGNS	All	BLD		48.16	54.11	1.5	1.5	2.0	2.0	8.20	16.81	0.00	0.00	0.00	0.00	0.00
PILEDRIVER	All	BLD		39.25	43.18	1.5	1.5	2.0	2.0	12.26	24.36	0.00	0.89		0.00	0.00
PILEDRIVER	All	HWY		41.28	43.03	1.5	1.5	2.0	2.0	12.89	25.12	0.00	0.94		0.00	0.00
PIPEFITTER	All	BLD		58.50	61.50	1.5	1.5	2.0	2.0	15.15	22.85	0.00	3.12	0.00	0.00	0.00
PLASTERER	All	BLD		43.35	47.69	1.5	1.5	2.0	2.0	13.38	22.46	0.00	0.80	0.00	0.00	0.00
PLUMBER	All	BLD		60.50	64.15	1.5	1.5	2.0	2.0	19.10	17.94	0.00	1.98		0.00	0.00
ROOFER	All	BLD		39.50	42.00	1.5	1.5	2.0	2.0	12.80	14.71	0.00	0.67	0.00	0.00	0.00
SHEETMETAL WORKER	All	BLD		50.36	53.89	1.5	1.5	2.0	2.0	12.42	24.15	0.00	1.34	0.00	0.00	0.00
SPRINKLER FITTER	All	BLD		50.51	53.76	1.5	1.5	2.0	2.0	12.40	17.31	0.00	0.54	0.00	0.00	0.00
STONE MASON	All	BLD		45.01	46.01	1.5	1.5	2.0	2.0	12.86	18.63	0.00	1.33	0.00	0.00	0.00
TERRAZZO FINISHER	All	BLD		41.66		1.5	1.5	2.0	2.0	12.45	14.27	0.00	1.25	0.00	0.00	0.00
TILE LAYER	All	BLD		39.00	42.90	1.5	1.5	2.0	2.0	12.26	24.36	0.00	0.89		0.00	0.00
TILE MASON	All	BLD		45.01	46.01	1.5	1.5	2.0	2.0	12.45	15.90	0.00	1.30	0.00	0.00	0.00
TRUCK DRIVER	All	ALL	1	45.29	49.65	1.5	1.5	2.0	2.0	17.11	8.06	0.00	0.25	0.00	0.00	0.00

LaSalle County Prevailing Wage Rates posted on 5/21/2026

TRUCK DRIVER	All	ALL	2	45.88	49.65	1.5	1.5	2.0	2.0	17.11	8.06	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	All	ALL	3	46.15	49.65	1.5	1.5	2.0	2.0	17.11	8.06	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	All	ALL	4	46.54	49.65	1.5	1.5	2.0	2.0	17.11	8.06	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	All	ALL	5	47.64	49.65	1.5	1.5	2.0	2.0	17.11	8.06	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	All	O&C	1	36.23	39.72	1.5	1.5	2.0	2.0	17.11	8.06	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	All	O&C	2	36.70	39.72	1.5	1.5	2.0	2.0	17.11	8.06	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	All	O&C	3	36.92	39.72	1.5	1.5	2.0	2.0	17.11	8.06	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	All	O&C	4	37.23	39.72	1.5	1.5	2.0	2.0	17.11	8.06	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	All	O&C	5	38.11	39.72	1.5	1.5	2.0	2.0	17.11	8.06	0.00	0.25	0.00	0.00	0.00
TUCKPOINTER	All	BLD		45.01	46.01	1.5	1.5	2.0	2.0	12.86	18.63	0.00	1.33	0.00	0.00	0.00

Legend

Rg Region

Type Trade Type - All,Highway,Building,Floating,Oil & Chip,Rivers

C Class

Base Base Wage Rate

OT M-F Unless otherwise noted, OT pay is required for any hour greater than 8 worked each day, Mon through Fri. The number listed is the multiple of the base wage.

OT Sa Overtime pay required for every hour worked on Saturdays

OT Su Overtime pay required for every hour worked on Sundays

OT Hol Overtime pay required for every hour worked on Holidays

H/W Health/Welfare benefit

Vac Vacation

Trng Training

Other Ins Employer hourly cost for any other type(s) of insurance provided for benefit of worker.

Explanations LASALLE COUNTY

ELECTRICIANS (NORTH) - Townships of Mendota, Meriden, Earl, Adams, Troy Grove, Ophir, Northville, Freedom, Serena, Mission, Dimmick, Waltham, Wallace, Dayton, Rutland, Miller, Manlius, Peru, LaSalle, Utica, Ottawa, South Ottawa, Eden, Vermilion, Deer Park, Farm Ridge.

MILLWRIGHTS (EAST) - The Eastern 1/3 of the county (approx.).

The following list is considered as those days for which holiday rates of wages for work performed apply: New Years Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day, Christmas Day and Veterans Day in some classifications/counties.

LaSalle County Prevailing Wage Rates posted on 5/21/2026

Generally, any of these holidays which fall on a Sunday is celebrated on the following Monday. This then makes work performed on that Monday payable at the appropriate overtime rate for holiday pay. Common practice in a given local may alter certain days of celebration. If in doubt, please check with IDOL.

Oil and chip resealing (O&C) means the application of road oils and liquid asphalt to coat an existing road surface, followed by application of aggregate chips or gravel to coated surface, and subsequent rolling of material to seal the surface.

EXPLANATION OF CLASSES

ASBESTOS - GENERAL - removal of asbestos material/mold and hazardous materials from any place in a building, including mechanical systems where those mechanical systems are to be removed. This includes the removal of asbestos materials/mold and hazardous materials from ductwork or pipes in a building when the building is to be demolished at the time or at some close future date. ASBESTOS - MECHANICAL - removal of asbestos material from mechanical systems, such as pipes, ducts, and boilers, where the mechanical systems are to remain.

CERAMIC TILE FINISHER, MARBLE FINISHER, TERRAZO FINISHER

Assisting, helping or supporting the tile, marble and terrazzo mechanic by performing their historic and traditional work assignments required to complete the proper installation of the work covered by said crafts. The term "Ceramic" is used for naming the classification only and is in no way a limitation of the product handled. Ceramic takes into consideration most hard tiles.

COMMUNICATIONS TECHNICIAN

Installation, operation, inspection, maintenance, repair and service of radio, television, recording, voice, sound and vision production and reproduction, telephone and telephone interconnect, facsimile, equipment and appliances used for domestic, commercial, educational and entertainment purposes, pulling of wire through conduit but not the installation of conduit.

LABORER, SKILLED - BUILDING AND HIGHWAY

The skilled laborer building (BLD) and heavy & highway (HWY) classification shall encompass the following types of work, irrespective of the site of the work: flagging, caisson worker plus depth, gunnite nozzle men, lead man on sewer work, welders, cutter burners and torchmen, chain saw operator, paving breaker, jackhammer and drill operators, layout man and/or drainage tile layer, steel form setter - street and highway, air tamping hammerman, signal man on crane, concrete saw operator, concrete saw operator walk behind, screenman on asphalt pavers, front end man on chip spreader, laborers tending masons with hot material or where foreign materials are used, multiple concrete duct - leadman, luteman, asphalt raker, curb asphalt machine operator, ready mix scalemen (permanent, portable or temporary plant), laborers handling masterplate or similar materials, laser beam operator, coring machine operator, plaster tenders, underpinning and shoring of buildings, material selector when working with fire-brick or castable material, fire watch, signaling of all power equipment, tree topper or trimmer when in connection with construction, and diver tender.

MATERIAL TESTER/INSPECTOR I: Hand coring and drilling for testing of materials; field inspection of uncured concrete and asphalt.

LaSalle County Prevailing Wage Rates posted on 5/21/2026

MATERIAL TESTER/INSPECTOR II: Field inspection of welds, structural steel, fireproofing, masonry, soil, facade, reinforcing steel, formwork, cured concrete, and concrete and asphalt batch plants; adjusting proportions of bituminous mixtures.

OPERATING ENGINEERS - BUILDING

Class 1. Mechanic; Asphalt Plant; Asphalt Spreader; Autograde; Backhoes w/Caisson attachment; Batch Plant; Benoto (require 2 engineers); Boiler and Throttle Valve; Caisson Rigs; Central Redi-Mix Plant; Combination Back Hoe Front End-Loader Machine; Compressor and Throttle Valve; Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete Paver over 27E cu. ft.; Concrete Paver 27E cu.ft. and under; Concrete Placer; Concrete Pump (Truck Mounted); Concrete Tower; Cranes, All; Cranes Hammerhead; Creter Crane; Spider Crane; Crusher, Stone, etc.; Derricks, All; Derricks, Traveling; Formless Curb and Gutter Machine; Grader, Elevating; Grouting Machines; Heavy Duty Self-Propelled Transporter or Prime Mover; Highlift Shovels or Front Endloader 2-1/4 yd. and over; Hoists, Elevators, outside type rack and pinion and similar machines; Hoists, One, Two and Three Drum; Hoists, Two Tugger One Floor; Hydraulic Backhoes; Hydraulic Boom Trucks; Hydro Vac (and similar equipment); Locomotives, All; Lubrication Technician; Manipulators; Motor Patrol; Pile Drivers and Skid Rig; Post Hole Digger; Pre-Stress Machine; Pump Cretes Dual Ram; Squeeze Cretes - Screw Type Pumps; Gypsum Bulker and Pump; Roto Mill Grinder; Scoops - Tractor Drawn; Slip-Form Paver; Straddle Buggies; Operation of Tieback Machine; Tournapull; Tractor with Boom and Side Boom; Trenching Machines.

Class 2. Boilers; Brick Forklift servicing seven (7) or more Brick Masons; Broom, All Power Propelled; Bulldozers; Concrete Mixer (Two Bag and Over); Conveyor, Portable; Forklift Trucks; Highlift Shovels or Front Endloaders under 2-1/4 yd; Hoists, Automatic; Hoists, inside Freight Elevators; Hoists, Sewer Dragging Machine; Hoists, Tugger Single Drum; Hydro Excavating (excluding hose work); Laser Screed; Rock Drill (self-propelled); Non Self-Loading Ejection Dump; Rock Drill (Truck Mounted); Rollers, All; Steam Generators; Tractors, All; Tractor Drawn Vibratory Roller; Winch Trucks with "A" Frame.

Class 3. Air Compressors; Combination - Small Equipment Operator; Generators; Heaters, Mechanical; Hoists, Inside Elevators - (Rheostat Manual Controlled); Hoists, Inside Elevators; Hydraulic Power Units (Pile Driving and Extracting); Lowboys; Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Pumps, Well Points; Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.

Class 4. Brick Forklift; Boom Trucks (Residential); Hoists, Inside Elevators push button with automatic doors; Oilers; Skidsteer Loaders; Vacuum Trucks (excluding hose work).

Class 5. Assistant Craft Foreman

Class 6. Mechanics and Welders

Class 7. Gradall

OPERATING ENGINEERS - HIGHWAY CONSTRUCTION

Class 1. Asphalt Plant; Asphalt Heater and Planer Combination; Asphalt Heater Scarfire; Asphalt Spreader; Autograder/Gomaco or other similar type machines; ABG Paver; Backhoes with Caisson Attachment; Belt Loader; Caisson Rigs; Car Dumper; Central Redi-Mix Plant; Combination Backhoe Front Endloader Machine; Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete

LaSalle County Prevailing Wage Rates posted on 5/21/2026

Paver over 27E cu. ft.; Concrete Placer; Concrete Tube Float; Cranes, all attachments; Cranes, Tower of all types; Creter Crane; Spider Crane; Crusher, Stone, etc.; Derricks, All; Derrick Boats; Derricks, Traveling; Dredges; Elevators, Outside Type Rack & Pinion and Similar Machines; Formless Curb and Gutter Machine; Grader, Elevating; Grader, Motor Grader, Motor Patrol, Auto Patrol, Form Grader, Pull Grader, Subgrader; Guard Rail Post Driver Truck Mounted; Heavy Duty Self-Propelled Transporter or Prime Mover; Hoists, One, Two and Three Drum; Hydraulic Backhoes; Locomotives, All; Backhoes with Shear Attachments; Lubrication Technician; Manipulators; Mucking Machine; Pile Drivers and Skid Rig; Pre-Stress Machine; Pump Cretes Dual Ram; Rock Drill-Crawler or Skid Rig; Rock Drill - Truck Mounted; Roto Mill Grinder; Slip-Form Paver; Snow Melters; Soil Test Drill Rig (Truck Mounted); Straddle Buggies; Hydraulic Telescoping Form (Tunnel); Operation of Tieback Machine; Tractor Drawn Belt Loader; Tractor Drawn Belt Loader with attached pusher; Tractor with Boom; Tractaire with Attachments; Transfer Barrier Transfer Machine; Trenching Machine; Truck Mounted Concrete Pump with Boom; Raised or Blind Hole Drills (Tunnel Shaft); Underground Boring and/or Mining Machine; Wheel Excavator; Widener (APSCO).

Class 2. Batch Plant; Bituminous Mixer; Boiler and Throttle Valve; Bulldozers; Car Loader Trailing Conveyors; Combination Backhoe Front Endloader Machine (less than 1 cu. yd. Backhoe Bucket or over or with attachments); Compressor and Throttle Valve; Compressor, Common Receiver (3); Concrete Breaker or Hydro Hammer; Concrete Grinding Machine; Concrete Mixer or Paver 7S Series to and including 27 cu. ft.; Concrete Spreader; Concrete Curing Machine, Burlap Machine, Belting Machine and Sealing Machine; Concrete Wheel Saw; Conveyor Muck Cars (Haglund or Similar Type); Drills, All; Finishing Machine - Concrete; Forklifts; Highlift Shovels or Front Endloader; Hoist - Sewer Dragging Machine; Hydraulic Boom Trucks (All Attachments); Hydro-Blaster (requires 2 operators; one being Class 4); Hydro Excavating (excluding hose work); Laser Screed; Locomotives, Dinky; Oil Distributor; Off-Road Hauling Units (Including Articulating); Non Self-Loading Ejection Dump; Pump Cretes; Squeeze Cretes - Screw Type Pumps, Gypsum Bulker and Pump; Roller, Asphalt; Rotary Snow Plows; Rototiller, Seaman, etc., Self-Propelled; Self-Propelled Compactor; Spreader - Chip - Stone, etc.; Scraper; Scraper - Prime Mover in Tandem; Tractors, Push, Pulling Sheeps Foot, Disc, Compactor, etc.; Tug Boats; Mechanic Welders working in permanent shop.

Class 3. Boilers; Brooms, All Power Propelled; Cement Supply Tender; Compressor, Common Receiver (2); Concrete Mixer (Two Bag and Over); Conveyor, Portable; Farm-Type Tractors Used for Mowing, Seeding, etc.; Grouting Machine; Hoists, Automatic; Hoists, All Elevators; Hoists, Tugger Single Drum; Jeep Diggers; Low Boys; Pipe Jacking Machine; Post-Hole Digger; Power Saw, Concrete Power Driven; Pug Mills; Rollers, other than asphalt; Seed and Straw Blower; Steam Generators; Stump Machine Heaters, Mechanical; Winch Trucks with "A" Frame; Work Boats; Tamper - Form - Motor Driven.

Class 4. Air Compressor; Brick Forklifts (Servicing Seven (7) or more Brick Masons; Combination - Small Equipment Operator; Directional Boring Machine; Generators; Heaters, Mechanical; Hydraulic Power Unit (Pile Driving, Extracting, or Drilling); Hydro-Blaster (requires 2 operators - one being class 2); Light Plants, All (1 through 5); Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Pumps, Well Points; Tractaire; Vacuum Trucks (excluding hose work); Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.

Class 5. Brick Forklifts; Oilers; Skidsteer Loaders (All).

Class 6. Field Mechanics and Field Welders.

Class 7. Dowell Machine with Air Compressor; Gradall and machines of like nature.

LaSalle County Prevailing Wage Rates posted on 5/21/2026

TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION Class 1. Drivers on 2 axle trucks hauling less than 9 ton. Air compressor and welding machines and brooms, including those pulled by separate units, truck driver helpers, warehouse employees, mechanic helpers, greasers and tiremen, pickup trucks when hauling materials, tools, or workers to and from and on-the-job site, and fork lifts up to 6,000 lb. capacity.

Class 2. Two or three axle trucks hauling more than 9 ton but hauling less than 16 ton. A-frame winch trucks, hydrolift trucks, vactor trucks or similar equipment when used for transportation purposes. Fork lifts over 6,000 lb. capacity, winch trucks, four axle combination units, and ticket writers.

Class 3. Two, three or four axle trucks hauling 16 ton or more. Drivers on water pulls, articulated dump trucks, mechanics and working forepersons, and dispatchers. Five axle or more combination units.

Class 4. Low Boy and Oil Distributors.

Class 5. Drivers who require special protective clothing while employed on hazardous waste work.

TRUCK DRIVER - OIL AND CHIP RESEALING ONLY.

This shall encompass laborers, workers and mechanics who drive contractor or subcontractor owned, leased, or hired pickup, dump, service, or oil distributor trucks. The work includes transporting materials and equipment (including but not limited to, oils, aggregate supplies, parts, machinery and tools) to or from the job site; distributing oil or liquid asphalt and aggregate; stock piling material when in connectin with the actual oil and chip contract. The Truck Driver (Oil & Chip Resealing) wage classification does not include supplier delivered materials.

Other Classifications of Work:

For definitions of classifications not otherwise set out, the Department generally has on file such definitions which are available. If a task to be performed is not subject to one of the classifications of pay set out, the Department will upon being contacted state which neighboring county has such a classification and provide such rate, such rate being deemed to exist by reference in this document. If no neighboring county rate applies to the task, the Department shall undertake a special determination, such special determination being then deemed to have existed under this determination. If a project requires these, or any classification not listed, please contact IDOL at 217-782-1710 for wage rates or clarifications.

LANDSCAPING

Landscaping work falls under the existing classifications for laborer, operating engineer and truck driver. The work performed by landscape plantsman and landscape laborer is covered by the existing classification of laborer. The work performed by landscape operators (regardless of equipment used or its size) is covered by the classifications of operating engineer. The work performed by landscape truck drivers (regardless of size of truck driven) is covered by the classifications of truck driver.

LaSalle County Prevailing Wage Rates posted on 5/21/2026